Getting the number of selected values in a custom field of type Multi Select

On this page

- · Features used to implement the example
- · Example: Getting the number of selected values in a custom field of type Multi Select
- Other examples of that function
- Related Usage Examples

Features used to implement the example

• Mathematical and date-time expression calculator

Example: Getting the number of selected values in a custom field of type Multi Select

I'm looking for a solution to check number of selected values of a multi select custom field. Based on that result another custom field has to be set (e. g. to number of items selected in the field to be checked) Is there a way to use the "Update parameters" of the Mathematical and date-time expression calculator post-function for this transition functionality of Jira Workflow Toolbox?

I have just released version 2.0.18 of Jira Workflow Toolbox. This version implements a new function in the mathematical expression parser called "n umberOfSelectedItems(field_id)". This function returns the number of items selected in a multi select field, version picker, multi user field, components, fix version/s, affects version/s and labels.

Now there is a very easy way to set a custom field of type Number with the number of items selected in another custom field of type Multi Select.

You can use post-function Mathematical and date-time expression calculator in the way I show you in the following screenshots:

Update parameters of the Mathematical or date-time expression calculator Function for this transition.
Update parameters of the Mathematical or date-time expression calculator Function for this transition.
Target field:
Ephemeral number 1 +
Formula:
numberOfSelectedItems({10600})
Target field:
Number of selected options
Formula:
(00058)

All	Conditions (0) Validators (0) Post Functions (7)	
Add a new post function to the unconditional result of the transition.		
	Field Ephemeral number 1 will be assigned with the calculation result of the formula: numberOfSelectedItems({Colours}) Edit Move Down Delete	
—т	HEN	
1	Field Number of selected options will be assigned with the calculation result of the formula: { Ephemeral number 1 } Edit Move Up Move Down Delete	
_ т	HEN	

Notice that I have used an auxiliary field "Ephemeral number 1" as intermediary, instead of copying the result of "numberOfSelectedItems ({Colours})" directly to custom field "Number of selected options". I have done it this way because there is a very strange bug in the plugin that prevents post-functions Copy parsed text to a field and Mathematical and date-time expression calculator to copy directly to custom fields (not to virtual fields) when the post-function is in first place in execution order. That is why I have introduced an assignment to an auxiliary field in first position, so that assignment to custom field is done in second position. Another possible workaround is to move the post-function to a lower position in the order of execution.

Update

The bug I talk about in the last message was fixed in version 2.1.16 of the plugin. Anyway, it only happened when writing into a custom field and issue resolution was set. Now it is not needed to use any intermediary field, so you can do it with only one post-function Mathematical and date-time expression calculator, selecting field "Number of selected options" as Target field, and introducing "numberOfSelectedItems({10600})" in parameter Formula.

Other examples of that function

Page: Automatic work log with start and stop work transitions Page: Automatically log work time when the user uses a "Stop Progress" transition

Page: Calculate the time elapsed between 2 transition executions Page: Getting the number of selected values in a custom field of type Multi Select

Page: Implement a form with a series of questions and calculate a numeric value based on the answers

Page: Increment a field or set to 1 if it's not set

Page: Set "Date-Time Picker" custom field with current date-time

Page: Set "Due date" 6 natural days (or work days) earlier than a "Date Picker" custom field

Page: Set "Due date" to a specific day of next week no matter of date of creation this week

Page: Set "Due date" with certain time offset from current date

Page: Set "Total time spent" to "Current date and time - date and time of last update"

Page: Set a custom field "Urgency" depending on a combined value of issue's priority and "Impact" custom field

Page: Sum "Time Spent" in all sub-tasks of issues linked with issue link types "LinkA", "LinkB", "LinkC"

Page: Triage Jira Service Desk email requests (Move issues)

Page: Using project properties to calculate custom sequence numbers

Related Usage Examples

- Validate compatible values selection among dependent custom fields
 - ^o example
 - validator
 - custom-field
- Validate a custom field "Story Points" has been given a value in Fibonacci sequence
 - example
 - validator
 - ° custom-field
- Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
 - ^o example
 - validator
 - custom-field
- · Validation on the value of a Cascading Select field
 - example
 - ° validator
 - ° custom-field
- Make different fields mandatory depending on the value of a Select List custom field
 - example
 - ° validator
 - ° custom-field
- Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
 - ° example
 - ° validator
 - ° custom-field

- Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)
 - examplevalidator
 - validator
 custom-field
- Make attachment mandatory depending on the value of certain custom field
 - ° example
 - validator
 - custom-field
- Create a dynamic set of sub-tasks based on checkbox
 - selection with unique summaries
 - example
 post-function
 - custom-field
 - custom-neic
 sub-task
- Total of all story points in an epic
 - example
 - custom-field
 - calculated-field
- Show timeliness of an issue based on two date pickers
 - ^o example
 - custom-field
 - calculated-field
- Add and remove a single or a set of items from multi valued
 - fields
 - ° example
 - post-function
 - custom-field
 - issue-links
 - o sub-task
- Highest value of a custom field among linked issues
 - ° example
 - ° custom-field
 - calculated-field
- Google Maps location from address
 - ° example
 - calculated-field
 - custom-field
- Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
 - example
 - validator
 - custom-field