

Set field depending on time passed since issue creation

On this page

- [Features used to implement the example](#)
- [Example: Set field depending on time passed since issue creation](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

Features used to implement the example

- [Copy parsed text to a field](#)

Example: Set field depending on time passed since issue creation

I want to be able to set a **multi-select (Yes/No)** field based on whether the creation time is **within the last 12 hours** so that I can flag in an issue that this is a same day closure. This will be a post-function in the Resolve transition. How can I do the date/time comparison and the setting of the field?

You can do it using [Copy parsed text to a field](#) post-function with the following configuration:

Target field:

Same Day Closure - [Select List (single choice)]

Field to be written with the result of the parsed text.

Parsing Mode:

☐ Basic
Basic mode: Insert field codes anywhere in the text, and they will be replaced with corresponding field values. Field code formats are `%(nnnnn)`, and `%(nnnnn.i)` for Cascading Select fields (i = 0 for base level).

☒ Advanced
Advanced mode: Strings literals are written in double quotes (*"This is a string."*). Operator '+' is used to concatenate strings, and field codes are like in basic mode, e.g., *"Issue key is " + %(00015) + "."*. More information at [parser syntax documentation](#).

Text to be parsed and then copied to target field: [Syntax Specification](#)

1 {00057} - {00009} <= 12 * {HOUR} ? "Yes" : "No"

Summary - [Text] - %(00000)

Current date and time - [Date and time] - {00057}

Insert String Value

Insert Numeric Value

Text to be parsed used is: `{00057} - {00009} <= 12 * {HOUR} ? "Yes" : "No"`

Note that:

- `{00057}` is field code for **"Current date and time"**
- `{00009}` is field code for **"Date and time of creation"**

Once configured, **"Resolved Issue"** transition looks like this:

Transition: Resolve Issue

Edit

View Properties

Delete

OPEN

IN PROGRESS

REOPENED

Resolve Issue

RESOLVED

Screen: Resolve Issue Screen

Triggers 0

Conditions 1

Validators 0

Post Functions 6

The following will be processed after the transition occurs

Add post function

1. The following text parsed in **advanced** mode will be copied to **Same Day Closure**:

{Current date and time} - {Date and time of creation} <= 12 * {HOUR} ? "Yes" : "No"

Other examples of that function

[Page: Add all assignees of certain sub-task types to a "Multi-User Picker" custom field](#)
[Page: Add and remove a single or a set of items from multi valued fields](#)
[Page: Add current user to comment](#)
[Page: Add or remove request participants](#)
[Page: Add watchers from a part of the issue summary: "Summary_text - watcher1, watcher2, watcher3, ..."](#)
[Page: Assign issue based on the value of a Cascading Select custom field](#)
[Page: Assign issue to last user who executed a certain transition in the workflow](#)
[Page: Automatically close resolved sub-tasks when parent issue is closed](#)
[Page: Automatically reopen parent issue when one of its sub-tasks is reopened](#)
[Page: Calculate the time elapsed between 2 transition executions](#)
[Page: Close parent issue when all sub-tasks are closed](#)
[Page: Combine the values of several Multi-User picker fields](#)
[Page: Compose a parsed text including the "full name" or a user selected in a User Picker custom field](#)
[Page: Compose dynamic text by inserting field values in a text template](#)
[Page: Copy issue labels to a custom field](#)
[Page: Copy the value of a user property into a user picker](#)
[Page: Create a comment in sub-tasks when parent transitions](#)
[Page: Execute transition in epic](#)
[Page: Getting the number of selected values in a custom field of type Multi Select](#)
[Page: Limit the number of hours a user can log per day](#)
[Page: Make a sub-task's status match parent issue's current status on creation](#)
[Page: Make parent issue progress through its workflow](#)
[Page: Moving story to "In Progress" when one of its sub-tasks is moved to "In Progress"](#)
[Page: Moving story to "Ready for QA" once all its sub-tasks are in "Ready for QA" status](#)
[Page: Parse Email addresses to watchers list](#)
[Page: Parsing text from last comment and appending it to issue's summary](#)
[Page: Remove versions selected in a version picker custom field](#)
[Page: Replace certain issue link types with different ones](#)

Related Usage Examples

- [Make different fields mandatory depending on the value of a Select List custom field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validate a custom field "Story Points" has been given a value in Fibonacci sequence](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Make attachment mandatory depending on the value of certain custom field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validation on the value of a Cascading Select field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validate compatible values selection among dependent custom fields](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Enforce a field \(Select List\) to be set when another field \(Radio Button\) has a certain value \(works with any kind of field type\)](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)

Page: Restrict parent issue from closing if it has sub-tasks that were created during a given parent issue status

Page: Set a Select or Multi-Select field using regular expression to express the values to be assigned

Page: Set assignee depending on issue type

Page: Set field depending on time passed since issue creation

Page: Set priority for issues that have been in a certain status for longer than 24 hours

Page: Set security level based on groups and project roles the reporter or creator are in

Page: Transition linked issues in currently active sprint

Page: Transition only a sub-task among several ones

Page: Transition parent issue only when certain issue sub-task types are done

Page: Update Cascading Select custom field with a value of the field in parent issue

Page: Update checkboxes custom field if a file has been attached during a transition

Page: Validation on issue attachments

Page: Validation on MIME types of issue attachments

Page: Writing a comment to blocked issues when blocking issues are resolved

- Create a dynamic set of sub-tasks based on checkbox selection with unique summaries
 - example
 - post-function
 - custom-field
 - sub-task
- Total of all story points in an epic
 - example
 - custom-field
 - calculated-field
- Show timeliness of an issue based on two date pickers
 - example
 - custom-field
 - calculated-field
- Add and remove a single or a set of items from multi valued fields
 - example
 - post-function
 - custom-field
 - issue-links
 - sub-task
- Highest value of a custom field among linked issues
 - example
 - custom-field
 - calculated-field
- Google Maps location from address
 - example
 - calculated-field
 - custom-field
- Prevent issue creation if another issue with same field value already exists
 - example
 - validator
 - custom-field