Copy the value of a user property into a user picker

On this page

- Features used to implement the example
- Example: Copy the value of a user property into a user picker
- Other examples of that function
- Related Usage Examples

Features used to implement the example


- **Read user property**
- **Copy parsed text to a field**

Example: Copy the value of a user property into a user picker


We are using your **Jira Workflow Toolbox** plugin, and would like the ability to use the post-function **Read user property** to copy a value into a user picker field.. For example we have the user's manager stored as a user property, and we would like to copy that into a custom user picker field for use in certain workflows.

You have to use post-function **Read user property**. This post-function allows you to read a user property, but doesn't let you copy the value directly into a user picker. As a workaround you can use auxiliary field "**Ephemeral string 1**" as temporary storage, and then post-function **Copy parsed text to a field** to copy its value into the desired user picker custom field. Next version of the plugin (2.0.25) will enable post-function **Read user property** to copy the value directly into a user picker among other many types of custom fields and virtual fields.


We use post-function **Read user property** to copy the value of user property "**Manager**" in current user (logged user) into virtual field "**Ephemeral string 1**":



We use post-function **Copy parsed text to a field** the value in "**Ephemeral string 1**" into a user picker custom field "**Authorizer**":



Once configured, the transition looks like this:



Other examples of that function

Page: Copy the value of a user property into a user picker

Related Usage Examples

- Validation on the value of a Cascading Select field
  - example
  - validator
  - custom-field
- Make different fields mandatory depending on the value of a Select List custom field
  - example
  - validator
  - custom-field
- Validate compatible values selection among dependent custom fields
  - example
  - validator
  - custom-field
- Validate a custom field "Story Points" has been given a value in Fibonacci sequence
  - example
  - validator
  - custom-field

- Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
  - example
  - validator
  - custom-field
- Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
  - example
  - validator
  - custom-field
- Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)
  - example
  - validator
  - custom-field
- Make attachment mandatory depending on the value of certain custom field
  - example
  - validator
  - custom-field
- Create a dynamic set of sub-tasks based on checkbox selection with unique summaries
  - example
  - post-function
  - custom-field
  - sub-task
- Total of all story points in an epic
  - example
  - custom-field
  - calculated-field
- Show timeliness of an issue based on two date pickers
  - example
  - custom-field
  - calculated-field
- Add and remove a single or a set of items from multi valued fields
  - example
  - post-function
  - custom-field
  - issue-links
  - sub-task
- Highest value of a custom field among linked issues
  - example
  - custom-field
  - calculated-field
- Google Maps location from address
  - example
  - calculated-field
  - custom-field
- Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
  - example
  - validator
  - custom-field