Add watchers depending on the value of a custom field

On this page

- Features used to implement the example
- Example: Add watchers depending on the value of a custom field
- Other examples of that function
- Related Usage Examples

Features used to implement the example


- **Set a field as a function of other fields**

Example: Add watchers depending on the value of a custom field

I want to add a watcher to a ticket upon creation depending on another custom field value. For example I see in our customer CF the value "**BT**" I want to set "**bt user**" as watcher.

It will work with a comma separated list of **user names** and **groups names.** (I will include support for project roles in version 2.1.19 of the plugin). Any way, you can use post-function **Set a field as a function of other fields** selecting virtual field "**Watchers**" as target field, and using prefix '**+**' to indicate that the users must be added to current watchers, and avoid them to replace current watchers.

I show you how to do it in the following screenshot:



Other examples of that function

Page: Add watcher depending on security level
Page: Add watchers based on issue type
Page: Add watchers depending on the value of a custom field
Page: Assign issue based on the value of a Cascading Select custom field
Page: Assign issue to a specific user based on a specific custom field value
Page: Assign issue to current user if assignee is empty
Page: Assign issue to current user if the user is not member of a certain project role
Page: Change assignee based on a custom field
Page: Change parent's status depending on sub-task's summary
Page: Changing issue priority depending on issue description
Page: Compose dynamic text by inserting field values in a text template

Related Usage Examples

- Validation on the value of a Cascading Select field
  - example
  - validator
  - custom-field
- Make different fields mandatory depending on the value of a Select List custom field
  - example
  - validator
  - custom-field
- Validate compatible values selection among dependent custom fields
  - example
  - validator
  - custom-field

Page: Copy "Due date" into a date type custom field in a linked issue if it's greater than current issue's "Due date"
Page: Limit the number of hours a user can log per day
Page: Make parent issue progress through its workflow
Page: Rise priority if due date is less than 3 weeks away
Page: Set "Due date" depending on the value of other fields, in case it's uninitialized
Page: Set "Due date" to a specific day of next week no matter of date of creation this week
Page: Set "Due date" to current date at issue creation if not initialized
Page: Set a custom field "Urgency" depending on a combined value of issue's priority and "Impact" custom field
Page: Set a date based on current date
Page: Set a field based on reporter's email
Page: Set a watcher at ticket creation depending on custom field's value
Page: Set assignee depending on issue type
Page: Set security level based on groups and project roles the reporter or creator are in
Page: Set security level depending on reporter or creator
Page: Set the assignee based on a condition
Page: Set the value of a field of type "User Picker" depending on other field's value
Page: Set watchers depending on the value of a custom field
Page: Setting a custom field (User Picker) based on the value of another custom field (Text Field)
Page: Setting a field's default value depending on another field
Page: Setting the priority depending on the multiplication of custom fields
Page: Transition an issue automatically depending on the value of a field
Page: Unassign an issue when assigned to project leader
Page: Update checkboxes custom field if a file has been attached during a transition
Page: Using project properties to calculate custom sequence numbers

- Validate a custom field "Story Points" has been given a value in Fibonacci sequence
  - example
  - validator
  - custom-field
- Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
  - example
  - validator
  - custom-field
- Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
  - example
  - validator
  - custom-field
- Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)
  - example
  - validator
  - custom-field
- Make attachment mandatory depending on the value of certain custom field
  - example
  - validator
  - custom-field
- Create a dynamic set of sub-tasks based on checkbox selection with unique summaries
  - example
  - post-function
  - custom-field
  - sub-task
- Total of all story points in an epic
  - example
  - custom-field
  - calculated-field
- Show timeliness of an issue based on two date pickers
  - example
  - custom-field
  - calculated-field
- Add and remove a single or a set of items from multi valued fields
  - example
  - post-function
  - custom-field
  - issue-links
  - sub-task
- Highest value of a custom field among linked issues
  - example
  - custom-field
  - calculated-field
- Google Maps location from address
  - example
  - calculated-field
  - custom-field
- Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
  - example
  - validator
  - custom-field