Make certain custom field required in resolve screen only if the resolution was set to "Fixed"

On this page

- Features used to implement the example
- Example: Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
- Other examples of that function
- Related Usage Examples


Features used to implement the example

- **Validation based on regular expression**

Example: Make certain custom field required in resolve screen only if the resolution was set to "Fixed"

You can do it using **Validation based on regular expression**. Let's suppose the field you want to make mandatory is a Select List called "**Colour**". You can compose a parsed text with virtual field "**Issue resolution**" and custom field "**Colour**".

Then you validate the value for matching to a regular expression that describes the allowed values or for not matching to a regular expression that describes forbidden values.
In this particular case it's easier to use the second option. This is the configuration screen for our example:




Text to be parsed is:

```
%{00028}&%{10300}
```

```
Fixed&\s*
```

Once configured, the validator will look like this:



Other examples of that function

Page: Make "Affects Version/s" mandatory when issue resolution is "Fixed"
Page: Make a custom field mandatory when Priority is "Critical" or "Blocker"
Page: Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
Page: Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
Page: Prevent addition of new sub-tasks if the parent issue is in "Resolved" or "Closed" status
Page: Validation on issue attachments
Page: Validation on the value of a Cascading Select field

Related Usage Examples

- Validate compatible values selection among dependent custom fields
  - example
  - validator
  - custom-field
- Validate a custom field "Story Points" has been given a value in Fibonacci sequence
  - example
  - validator
  - custom-field
- Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
  - example
  - validator
  - custom-field
- Validation on the value of a Cascading Select field
  - example
  - validator
  - custom-field
- Make different fields mandatory depending on the value of a Select List custom field
  - example
  - validator
  - custom-field
- Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
  - example
  - validator
  - custom-field
- Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)
  - example
  - validator
  - custom-field
- Make attachment mandatory depending on the value of certain custom field
  - example
  - validator
  - custom-field
- Create a dynamic set of sub-tasks based on checkbox selection with unique summaries
  - example
  - post-function
  - custom-field
  - sub-task
- Total of all story points in an epic
  - example
  - custom-field
  - calculated-field
- Show timeliness of an issue based on two date pickers
  - example
  - custom-field
  - calculated-field
- Add and remove a single or a set of items from multi valued fields
  - example
  - post-function
  - custom-field
  - issue-links

    - sub-task
- Highest value of a custom field among linked issues
    - example
    - custom-field
    - calculated-field
- Google Maps location from address
    - example
    - calculated-field
    - custom-field
- Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
    - example
    - validator
    - custom-field