Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B

On this page

- Features used to implement the example
- Example: Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
- Other examples of that function
- Related Usage Examples


Features used to implement the example

- **Boolean validator with math, date-time or text-string terms**

Example: Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B

We have **Developer** and **QA** fields. Both are Multiple User Custom Fields. Is there any way to create a Validator that checks that none of the members Developer users are in QA?

You can do it using **Boolean validator with math, date-time or text-string terms** with the following configuration:



Text to be parsed is: **`%{13500} none in %{13501}`**

Note that:

- **%{13500}** is field code for "**Developer**"

- **%{13501}** is field code for "**QA**"

Both field codes depend on each particular Jira instance, since they are custom fields.

Once configured, validator will look like this:

> Only if the following boolean expression is true: ***%{Developer} none in %{QA}***
> Message to show when validation fails: **"Users in field "Developer" shouldn't be in field "QA"."**.

Other examples of that function

Page: Block a transition until all sub-tasks have certains fields populated
Page: Block an epic's transition depending on linked issues status and due date
Page: Block or hide a transition for an issue depending on its issue links
Page: Block or unblock a transition after an issue rested a specific time in a status
Page: Block transition until all sub-tasks are in a specific status category
Page: Close parent issue when all sub-tasks are closed
Page: Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)
Page: Ensure that all issues linked with a certain issue link type have "Due Date" field set
Page: If field A is populated then, field B must also be populated
Page: Limit issue creation per role and issue type
Page: Limit the number of hours a user can log per day
Page: Limit valid dates for work logs
Page: Make "Time Spent" field required when there is no time logged in the issue
Page: Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
Page: Make attachment mandatory depending on the value of certain custom field
Page: Make different fields mandatory depending on the value of a Select List custom field
Page: Make linked issues, sub-tasks and JQL selected issues progress through its workflows
Page: Make parent issue progress through its workflow
Page: Prevent issue creation if another issue with same field value already exists
Page: Reject duplicated file names in attachments
Page: Require at least one sub-task in status "Resolved" or "Closed" when "Testing required" is selected in Check-Box custom field
Page: Require issue link when resolving as duplicate
Page: Restrict parent issue from closing if it has sub-tasks that were created during a given parent issue status
Page: Restrict sub-task type creation depending on parent issue status
Page: Restrict sub-task type creation depending on parent issue type
Page: Set a condition in a global transition which only applies in a certain status
Page: Validate a custom field "Story Points" has been given a value in Fibonacci sequence
Page: Validate compatible values selection among dependent custom fields
Page: Validate only issue links created in transition screen
Page: Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
Page: Validation and condition based on time expressions
Page: Validation based on the value of a date type project property
Page: Validation on issue attachments
Page: Validation on MIME types of issue attachments
Page: Validation on sibling sub-tasks depending on issue type and status
Page: Validation on the value of a Cascading Select field

Related Usage Examples

- Validation on the value of a Cascading Select field
  - example
  - validator
  - custom-field
- Validate compatible values selection among dependent custom fields
  - example
  - validator
  - custom-field
- Validate a custom field "Story Points" has been given a value in Fibonacci sequence
  - example
  - validator
  - custom-field
- Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
  - example
  - validator
  - custom-field
- Make different fields mandatory depending on the value of a Select List custom field
  - example
  - validator
  - custom-field
- Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"
  - example
  - validator
  - custom-field
- Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)
  - example
  - validator
  - custom-field
- Make attachment mandatory depending on the value of certain custom field
  - example
  - validator
  - custom-field
- Create a dynamic set of sub-tasks based on checkbox selection with unique summaries
  - example
  - post-function
  - custom-field
  - sub-task
- Total of all story points in an epic
  - example
  - custom-field
  - calculated-field
- Show timeliness of an issue based on two date pickers
  - example
  - custom-field
  - calculated-field
- Add and remove a single or a set of items from multi valued fields
  - example
  - post-function
  - custom-field
  - issue-links
  - sub-task

- Highest value of a custom field among linked issues
  - example
  - custom-field
  - calculated-field
- Google Maps location from address
  - example
  - calculated-field
  - custom-field
- Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
  - example
  - validator
  - custom-field