

Ensure that all issues linked with a certain issue link type have "Due Date" field set

On this page

- [Features used to implement the example](#)
- [Example: Ensure that all issues linked with a certain issue link type have "Due Date" field set](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

Features used to implement the example

- [Boolean validator with math, date-time or text-string terms](#)

Example: Ensure that all issues linked with a certain issue link type have "Due Date" field set

In a **"Close"** validation, I need to check that the issue linked to the current issue with link type name **"linkA"** has a custom field **"MyDate"** (type Date) that is not empty.

You can do it using a [Boolean validator with math, date-time or text-string terms](#) using the following configuration:

Boolean expression to be evaluated:
[Line 1 / Col 82]
Syntax Specification and Examples

```

1 count(linkedIssues("linkA")) = count(fieldValue({00012}, linkedIssues("linkA")))

```

Logical connectives: and, or and not. Alternatively you can also use &, | and !.

Comparison operators: =, !=, >, >=, < and <=. Operators ~, !~, in, not in, any in and none in can be used with **strings**, **multi-valued fields** and **lists**.

Logical literals: true and false. Literal null is used with = and != to check whether a field is initialized, e.g. {00012} != null checks whether **Due Date** is initialized.

CHECK SYNTAX

NUMERICAL AND DATE-TIME TERMS

Numeric and Date-Time field values: insert field codes with format {nnnnn}.

Original estimate (minutes) - [Number] - {00068}
Insert Numeric Value

Valid date-time literal formats: yyyy/MM/dd [hh:mm] or yyyy-MM-dd [hh:mm]. Time literals use format: hh:mm.

There is a set of **mathematical functions** and **time macros and functions** available to be used in your expression.

TEXT-STRING TERMS

Text-String field values: insert field codes with format %{nnnnn} or %{nnnnn.i} for referencing levels in cascading select fields (i = 0 for base level).

Summary - [Text] - %{00000}
Insert String Value

String literals: written in **double quotes**, e.g., "This is a string literal."

String concatenation: use operator '+' to concatenate string values, e.g., "The summary of issue with key " + %{00015} + " is \" + %{00000} + "\"."

Escape character: character \ is used with characters "", \, 'n', 'r', 't', 'f' and 'b' to invoke an alternative interpretation.

There is a set of **string functions** available to be used in your expression.

Skip validation when:
Inhibit the validator under selected circumstances.

☐ Transition is triggered by a **bulk operation**.
☐ Transition is triggered by a **JIRA Workflow Toolbox post-function**.
☐ Current issue is being created by cloning. Only makes sense in *Create Issue* transition.

Message to show when validation fails:

All issues linked with "linkA" must have "Due Date" field set.
Field code injector:
Summary - [Text] - %{00000}
Field codes with format %{nnnnn} can be inserted in the failure message and its translations, and they will be replaced with actual field values at runtime.
Set translations for installed languages

Text to be parsed is: `count(linkedIssues("linkA")) = count(fieldValue({00012}, linkedIssues("linkA")))`

Note that:

- {00012} is field code for field "Due Date"

Other examples of that function

Page: [Block a transition until all sub-tasks have certain fields populated](#)
Page: [Block an epic's transition depending on linked issues status and due date](#)
Page: [Block or hide a transition for an issue depending on its issue links](#)
Page: [Block or unblock a transition after an issue rested a specific time in a status](#)

Related Usage Examples

- [Validate only issue links created in transition screen](#)
 - [example](#)
 - [validator](#)
 - [issue-links](#)
- [Require issue link when resolving as duplicate](#)
 - [example](#)

Page: Block transition until all sub-tasks are in a specific status category

Page: Close parent issue when all sub-tasks are closed

Page: Enforce a field (Select List) to be set when another field (Radio Button) has a certain value (works with any kind of field type)

Page: Ensure that all issues linked with a certain issue link type have "Due Date" field set

Page: If field A is populated then, field B must also be populated

Page: Limit issue creation per role and issue type

Page: Limit the number of hours a user can log per day

Page: Limit valid dates for work logs

Page: Make "Time Spent" field required when there is no time logged in the issue

Page: Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"

Page: Make attachment mandatory depending on the value of certain custom field

Page: Make different fields mandatory depending on the value of a Select List custom field

Page: Make linked issues, sub-tasks and JQL selected issues progress through its workflows

Page: Make parent issue progress through its workflow

Page: Prevent issue creation if another issue with same field value already exists

Page: Reject duplicated file names in attachments

Page: Require at least one sub-task in status "Resolved" or "Closed" when "Testing required" is selected in Check-Box custom field

Page: Require issue link when resolving as duplicate

Page: Restrict parent issue from closing if it has sub-tasks that were created during a given parent issue status

Page: Restrict sub-task type creation depending on parent issue status

Page: Restrict sub-task type creation depending on parent issue type

Page: Set a condition in a global transition which only applies in a certain status

Page: Validate a custom field "Story Points" has been given a value in Fibonacci sequence

Page: Validate compatible values selection among dependent custom fields

Page: Validate only issue links created in transition screen

Page: Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B

Page: Validation and condition based on time expressions

Page: Validation based on the value of a date type project property

Page: Validation on issue attachments

Page: Validation on MIME types of issue attachments

Page: Validation on sibling sub-tasks depending on issue type and status

Page: Validation on the value of a Cascading Select field

- validator
 - issue-links
- Ensure that all issues linked with a certain issue link type have "Due Date" field set
 - example
 - validator
 - issue-links
- Block an epic's transition depending on linked issues status and due date
 - example
 - validator
 - issue-links
 - transition
- Add and remove a single or a set of items from multi valued fields
 - example
 - post-function
 - custom-field
 - issue-links
 - sub-task
- Writing a comment to blocked issues when blocking issues are resolved
 - example
 - post-function
 - issue-links
- Prevent issue from moving forward if it's dependent on non-accepted tickets
 - example
 - validator
 - issue-links
 - transition
- Enforce linked issues in a specific project to be "Closed" before closing issue
 - example
 - validator
 - issue-links
 - transition
- Block or hide a transition for an issue depending on its issue links
 - example
 - validator
 - issue-links
 - transition
- Prevent transitioning when there is a blocking issue
 - example
 - validator
 - issue-links
 - sub-task
 - transition
- Prevent issue from being "Closed" if blocking issues aren't yet closed
 - example
 - validator
 - issue-links
 - transition
- Block creation of issue type X if it has not been linked with link type Y to issue type Z on the "Create Issue" screen
 - example
 - validator
 - issue-links
- Prevent issue from being closed if it has links of type "is blocked by" to open issues
 - example
 - condition
 - validator
 - issue-links
 - transition
- Transition linked issues in currently active sprint
 - example
 - post-function
 - issue-links
 - transition
- Make an issue inherit highest priority among those of linked issues
 - example
 - post-function
 - issue-links