JWT Release Notes 2.1.29

[2015-03-18] Released Jira Workflow Toolbox 2.1.29

New features

- New parser functions:
 - o hasChanged(%{nnnnn}): boolean, returns true only if field has changed in current transition.
 - o hasChanged((nnnnn)): boolean, returns true only if numeric or date-time field field has changed in current transition.
 - hasChanged((nnnnn.i)): boolean, returns true only if cascading select field has changed for level i (with root level = 0) in current transition
 - sublist(string list I, number indexFrom, number indexTo): string list, returns a string list with elements in I from indexFrom index to in dexTo index. Having indexFrom >= 1 and indexFrom <= count(I) and indexTo >= 1 and indexFrom <= indexTo
 - sublist(number list I, number indexFrom, number indexTo): number list, returns a number list with elements in I from indexFrom index to indexTo index. Having indexFrom >= 1 and indexFrom <= count(I) and indexTo >= 1 and indexTo <= count(I) and indexFrom <= indexTo.
 - sublist(issue list I, number indexFrom, number indexTo): issue list, returns an issue list with elements in I from indexFrom index to in dexTo index. Having indexFrom >= 1 and indexFrom <= count(I) and indexTo >= 1 and indexFrom <= indexTo.
 - o indexOf(string element, string list I): number, returns the index of string element in string list I. Zero is returned when element is not found in I.
 - indexOf(number element, string list I): number, returns the index of numeric value element in string list I. Zero is returned when element is not found in I.
 - indexOf(issue element, issue list I): number, returns the index of issue element in issue list I. Zero is returned when element is not found in I.

Improvements

- Compatibility with Jira 6.4
- Textarea has been replaced with an improved expressions editor in the following features: "Boolean condition and validator with math. date-time or text-string terms", "Copy parsed text to a field", "Set a field as a function of other fields" and "Mathematical and date-time expression calculator". It provides the following features:
 - Syntax highlighting.
 - Matching brackets highlighting.
 - Selected token highlighting.
- "A custom field is/isn't initialized" validator has been renamed to "A custom field is/isn't initialized or has/hasn't been modified", and now
 provides the capability for validating whether a custom field has been updated in transition screen.