

Set a condition in a global transition which only applies in a certain status

On this page

- [Features used to implement the example](#)
- [Example: Set a condition in a global transition which only applies in a certain status](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

Features used to implement the example

- [Boolean condition with math, date-time or text-string terms](#)

Example: Set a condition in a global transition which only applies in a certain status

To implement that condition you have to use [Boolean condition with math, date-time or text-string terms](#) with a boolean expression like this: `%{00016} != "Status1" OR (condition)`

Let us see an example: If issue is in status "**Status1**" we will show the global transition to the user only if **Priority** is "**Blocker**" and **Due Date** is set. In this example we use [Boolean condition with math, date-time or text-string terms](#) with the following configuration:

Boolean expression to be evaluated:

`%{00016} != "Status1" OR (%{00017} = "Blocker" AND {00012} != null)`

Logical connectives: **or**, **and** and **not**. Alternatively you can also use **|**, **&** and **!**.

Comparison operators: **=**, **!=**, **>**, **>=**, **<** and **<=**. Operators **~** (contains) and **!~** (doesn't contain) can be used with **strings**, **multi-valued fields** and **lists**.

Logical literals: **true** and **false**. Literal **null** is used with **"=**" and **"!="** to check whether a field is initialized, e.g. `{00012} != null` checks whether **Due Date** is initialized.

NUMERICAL AND DATE-TIME TERMS

Numeric and Date-Time field values: insert field codes with format `{nnnnn}`.

Due date - [Date] - {00012}

INSERT NUMERIC VALUE

Valid date-time literal formats: `yyyy/MM/dd [hh:mm]` or `yyyy-MM-dd [hh:mm]`. Time literals use format: `hh:mm`.

There is a set of [mathematical functions](#) and [time macros and functions](#) available to be used in your expression.

TEXT-STRING TERMS

Text-String field values: insert field codes with format `%{nnnnn}` or `%{nnnnn.i}` for referencing levels in cascading select fields (*i* = 0 for base level).

Priority - [Issue priority] - %{00017}

INSERT STRING VALUE

String literals: written in **double quotes**, e.g., `"This is a string literal."`

String concatenation: use operator **+** to concatenate string values, e.g., `"The summary of issue with key " + %{00015} + " is \"" + %{00000} + "\"."`

Escape character: character **** is used with characters **"**, ****, **'**, **n**, **r**, **t**, **f** and **b** to invoke an alternative interpretation.

There is a set of [string functions](#) available to be used in your expression.

Text to be parsed is: `%{00016} != "Status1" OR (%{00017} = "Blocker" AND {00012} != null)`

Note that:

- `%{00016}` is field code for "**Issue status**"
- `%{00017}` is field code for "**Priority**"

- {00012} is field code for numeric value of "Due Date"

Once configured, the condition will look like this:

Triggers 0
Conditions 1
Validators 0
Post Functions 11

All of the following conditions
Add condition

Only if the following boolean expression is true: `%{Issue status} != "Status1" OR (%{Priority} = "Blocker" AND {Due date} != null)`

Other examples of that function

[Page: Block a transition until all sub-tasks have certain fields populated](#)
[Page: Block an epic's transition depending on linked issues status and due date](#)
[Page: Block or hide a transition for an issue depending on its issue links](#)
[Page: Block or unblock a transition after an issue rested a specific time in a status](#)
[Page: Block transition until all sub-tasks are in a specific status category](#)
[Page: Close parent issue when all sub-tasks are closed](#)
[Page: Enforce a field \(Select List\) to be set when another field \(Radio Button\) has a certain value \(works with any kind of field type\)](#)
[Page: Ensure that all issues linked with a certain issue link type have "Due Date" field set](#)
[Page: If field A is populated then, field B must also be populated](#)
[Page: Limit issue creation per role and issue type](#)
[Page: Limit the number of hours a user can log per day](#)
[Page: Limit valid dates for work logs](#)
[Page: Make "Time Spent" field required when there is no time logged in the issue](#)
[Page: Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"](#)
[Page: Make attachment mandatory depending on the value of certain custom field](#)
[Page: Make different fields mandatory depending on the value of a Select List custom field](#)
[Page: Make linked issues, sub-tasks and JQL selected issues progress through its workflows](#)
[Page: Make parent issue progress through its workflow](#)
[Page: Prevent issue creation if another issue with same field value already exists](#)
[Page: Reject duplicated file names in attachments](#)
[Page: Require at least one sub-task in status "Resolved" or "Closed" when "Testing required" is selected in Check-Box custom field](#)
[Page: Require issue link when resolving as duplicate](#)
[Page: Restrict parent issue from closing if it has sub-tasks that were created during a given parent issue status](#)
[Page: Restrict sub-task type creation depending on parent issue status](#)
[Page: Restrict sub-task type creation depending on parent issue type](#)
[Page: Set a condition in a global transition which only applies in a certain status](#)
[Page: Validate a custom field "Story Points" has been given a value in Fibonacci sequence](#)
[Page: Validate compatible values selection among dependent custom fields](#)
[Page: Validate only issue links created in transition screen](#)
[Page: Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B](#)
[Page: Validation and condition based on time expressions](#)
[Page: Validation based on the value of a date type project property](#)
[Page: Validation on issue attachments](#)
[Page: Validation on MIME types of issue attachments](#)
[Page: Validation on sibling sub-tasks depending on issue type and status](#)
[Page: Validation on the value of a Cascading Select field](#)

Related Usage Examples

- [Validation on sibling sub-tasks depending on issue type and status](#)
 - [example](#)
 - [validator](#)
 - [sub-task](#)
 - [transition](#)
- [Block a transition until all sub-tasks have certain fields populated](#)
 - [example](#)
 - [condition](#)
 - [validator](#)
 - [sub-task](#)
 - [transition](#)
- [Restrict sub-task type creation depending on parent issue status](#)
 - [example](#)
 - [validator](#)
 - [sub-task](#)
- [Require at least one sub-task in status "Resolved" or "Closed" when "Testing required" is selected in Check-Box custom field](#)
 - [example](#)
 - [validator](#)
 - [sub-task](#)
- [Restrict sub-task type creation depending on parent issue type](#)
 - [example](#)
 - [validator](#)
 - [sub-task](#)
- [Create a dynamic set of sub-tasks based on checkbox selection with unique summaries](#)
 - [example](#)
 - [post-function](#)
 - [custom-field](#)
 - [sub-task](#)
- [Transition sub-tasks when parent is transitioned](#)
 - [example](#)
 - [post-function](#)
 - [sub-task](#)
 - [transition](#)
 - [outdated](#)
- [Transition only a sub-task among several ones](#)
 - [example](#)
 - [post-function](#)
 - [sub-task](#)
 - [transition](#)
 - [outdated](#)
- [Moving sub-tasks to "Open" status when parent issue moves to "In Progress"](#)
 - [example](#)
 - [post-function](#)
 - [sub-task](#)
 - [transition](#)
 - [outdated](#)
- [Moving story to "Ready for QA" once all its sub-tasks are in "Ready for QA" status](#)

- example
 - post-function
 - sub-task
 - transition
 - outdated
- Change parent's status depending on sub-task's summary
 - example
 - post-function
 - sub-task
 - transition
 - outdated
- Moving story to "In Progress" when one of its sub-tasks is moved to "In Progress"
 - example
 - post-function
 - sub-task
 - transition
 - outdated
- Add and remove a single or a set of items from multi valued fields
 - example
 - post-function
 - custom-field
 - issue-links
 - sub-task
- Automatically close resolved sub-tasks when parent issue is closed
 - example
 - post-function
 - sub-task
 - transition
 - outdated
- Close parent issue when all sub-tasks are closed
 - example
 - condition
 - validator
 - post-function
 - sub-task
 - transition