

# Cascading select comparer

This function has been **renamed** with the [JWT 3.0](#) release.

Find the new documentation at:

[Condition based on cascading select list value](#)

## On this page

- [Purpose](#)
- [Example: Check that a cascading select custom field called "Country and City" has value that correspond to a city of USA](#)
- [Usage Examples](#)
- [Related Features](#)

## Purpose

This is a condition for checking the value of any of the 2 levels a Cascading Select custom field has.

## Example: Check that a cascading select custom field called "Country and City" has value that correspond to a city of USA

Add Parameters To Condition

Add required parameters to the Condition.

Custom field to be compared:

Country and City - [Select List (cascading)]

Level of cascading select to be compared:

☒ first level

☐ second level

Select the level of the cascade select you want to compare with the string to be parsed entered below.

Comparison operator:

☒ is equal

☐ isn't equal

☐ contains

☐ doesn't contain

☐ starts with

☐ doesn't start with

☐ ends with

☐ doesn't end with

String value to be compared:

USA

Field code injector:

Summary - [Text] - %{00000}

You can insert field codes (format **%{nnnnn}**) into the string that will be replaced with the field values.

List of field codes for string values: [Show](#)

You can copy and paste field codes with format **%{nnnnn}** to insert string field values in the expression. [Information on virtual fields and field values](#)

Add

Cancel

## Usage Examples

## Related Features

- **Boolean condition and validator with math, date-time or text-string terms:** with this feature you can implement much more complex conditions depending on the values of different levels of **Cascading Select List** or **Multi-Level Cascading Select** custom fields.