

# Highest value of a custom field among linked issues

## On this page

- [Features used to implement the example](#)
- [Example: Highest value of a custom field among linked issues](#)
  - [Text to be parsed](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

## Features used to implement the example

- [Calculated Text Field](#)

## Example: Highest value of a custom field among linked issues

Return the highest value of a specific custom field among all linked issues.

In this example, the **Latest Planned Version** is returned. The evaluated versions are stored in another custom field **Planned version** (Version Picker (single version)).

A valid configuration for this **Calculated Text Field**:

Parsing Mode: ?

☐ Basic

Basic mode: Insert field codes anywhere in the text, and they will be replaced with corresponding field values. Field code formats are `{nnnnn}`, and `{nnnnn.i}` for Cascading Select fields (i = 0 for base level).

☒ Advanced

Advanced mode: Strings literals are written in double quotes ("This is a string."). Operator '+' is used to concatenate strings, and field codes are like in basic mode, e.g., "Issue key is " + `{00015}` + ". ". More information at [parser syntax documentation](#).

Text to be parsed for Calculated Text Field:

[ Line 1 / Col 1 ] [Syntax Specification](#) [Check Syntax](#)

1

`first(sort(fieldValue({10409}), linkedIssues()),DESC)`

Start typing to get the list of available fields

Insert String Value

Start typing to get the list of available fields

Insert Numeric Value

## Text to be parsed

- `first(sort(fieldValue({10409}), linkedIssues()),DESC)`

Note that:

- `{10409}` is the field code for custom field **Planned version** (Version Picker (single version))

## Other examples of that function

Page: [Google Maps location from address](#)  
Page: [Highest value of a custom field among linked issues](#)  
Page: [Number of linked bugs \(with hyperlink\)](#)  
Page: [Show timeliness of an issue based on two date pickers](#)  
Page: [Show timeliness of an issue based on two date pickers](#)

## Related Usage Examples

- [Using project properties to calculate custom sequence numbers](#)
  - [example](#)
  - [post-function](#)
  - [calculated-field](#)
  - [project-properties](#)
- [Number of open subtasks](#)

- example
  - calculated-field
- Setting the priority depending on the multiplication of custom fields
  - example
  - calculated-field
  - post-function
- Total of all story points in an epic
  - example
  - custom-field
  - calculated-field
- Show timeliness of an issue based on two date pickers
  - example
  - custom-field
  - calculated-field
- Highest value of a custom field among linked issues
  - example
  - custom-field
  - calculated-field
- Predicted due date of an epic
  - example
  - calculated-field
- Number of issues in same version
  - example
  - calculated-field
- Number of linked bugs (with hyperlink)
  - example
  - calculated-field
- Google Maps location from address
  - example
  - calculated-field
  - custom-field
- Total remaining estimate in an epic
  - example
  - calculated-field