

# Show timeliness of an issue based on two date pickers

## On this page

- [Features used to implement the example](#)
- [Example: Show timeliness of an issue based on two date pickers](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

## Features used to implement the example

- [Calculated Text Field](#)

## Example: Show timeliness of an issue based on two date pickers

In this example, the timeliness of an issue is displayed using a calculated text field that is set based on two additional date picker custom fields:

- Date Picker custom field "**Date closed**"
- Date Picker custom field "**Expected Due Date**"

The display value should be set with the following conditions:

- if (Date closed = null && Current Day <= Expected Due Date) { "" }
- if (Date closed <= Expected Due Date) { "Yes" }
- if (Date closed > Expected Due Date || (Date closed = null && Current Day > Expected Due Date)) { "No" }

The configuration will look like this:

Parsing Mode:

☐ Basic

Basic mode: Insert field codes anywhere in the text, and they will be replaced with corresponding field values. Field code formats are %{nnnnn}. and %{nnnnn.i} for Cascading Select fields (i = 0 for base level).

☒ Advanced

Advanced mode: Strings literals are written in double quotes ("This is a string."). Operator '+' is used to concatenate strings, and field codes are like in basic mode, e.g., "Issue key is " + %{00015} + ". More information at [parser syntax documentation](#).

Text to be parsed for Calculated Text Field:

[ Line 1 / Col 108 ] [Syntax Specification](#) [Check Syntax](#)

```
1 {10423} != null ? ({10423} <= {10424} ? "Yes" : "No") : (datePart({000057}, LOCAL) > {10424} ? "No" : null)
```

Date closed - (Date Picker) - {10423}

Text to be parsed is: {10423} != null ? ({10423} <= {10424} ? "Yes" : "No") : (datePart({000057}, LOCAL) > {10424} ? "No" : null)

Note that:

- {10423} is the field code for custom date picker "**Date closed**" (this field code might differ on your instance)
- {10424} is the field code for custom date picker "**Expected Due Date**" (this field code might differ on your instance)

## Other examples of that function

## Related Usage Examples

Page: [Highest value of a custom field among linked issues](#)  
Page: [Number of linked bugs \(with hyperlink\)](#)  
Page: [Show timeliness of an issue based on two date pickers](#)  
Page: [Show timeliness of an issue based on two date pickers](#)

- [example](#)
  - [custom-field](#)
  - [calculated-field](#)
- [Show timeliness of an issue based on two date pickers](#)
  - [example](#)
  - [custom-field](#)
  - [calculated-field](#)
- [Highest value of a custom field among linked issues](#)
  - [example](#)
  - [custom-field](#)
  - [calculated-field](#)
- [Google Maps location from address](#)
  - [example](#)
  - [calculated-field](#)
  - [custom-field](#)
- [Number of open subtasks](#)
  - [example](#)
  - [calculated-field](#)
- [Setting the priority depending on the multiplication of custom fields](#)
  - [example](#)
  - [calculated-field](#)
  - [post-function](#)
- [Using project properties to calculate custom sequence numbers](#)
  - [example](#)
  - [post-function](#)
  - [calculated-field](#)
  - [project-properties](#)
- [Predicted due date of an epic](#)
  - [example](#)
  - [calculated-field](#)
- [Number of issues in same version](#)
  - [example](#)
  - [calculated-field](#)
- [Number of linked bugs \(with hyperlink\)](#)
  - [example](#)
  - [calculated-field](#)
- [Total remaining estimate in an epic](#)
  - [example](#)
  - [calculated-field](#)
- [Make different fields mandatory depending on the value of a Select List custom field](#)
  - [example](#)
  - [validator](#)
  - [custom-field](#)
- [Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"](#)
  - [example](#)
  - [validator](#)
  - [custom-field](#)
- [Validate a custom field "Story Points" has been given a value in Fibonacci sequence](#)
  - [example](#)
  - [validator](#)
  - [custom-field](#)
- [Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B](#)
  - [example](#)
  - [validator](#)
  - [custom-field](#)