Total of all story points in an epic

On this page

- Features used to implement the example
- Example: Total of all story points in an epic
- Other examples of that function
- Related Usage Examples


Features used to implement the example

- **Calculated Number Field**

Example: Total of all story points in an epic

Sum up all the story points of stories under an epic as **Total Story Points**.

A valid configuration for this **Calculated Number Field**:




Math expression: **`sum(fieldValue({10106}, issuesUnderEpic(%{00015})))`**

Note that:

- **{10106}** is the field code for **Story points** (this field code might differ on your Jira instance)
- **%{00015}** is the field code for **Issue key**

Once configured and added to an issue screen, the result will look like this:



Other examples of that function

Page: Number of issues in same version
Page: Number of open subtasks
Page: Setting the priority depending on the multiplication of custom fields
Page: Total of all story points in an epic
Page: Total remaining estimate in an epic

Related Usage Examples

- Total of all story points in an epic
  - example
  - custom-field
  - calculated-field
- Show timeliness of an issue based on two date pickers
  - example
  - custom-field
  - calculated-field
- Highest value of a custom field among linked issues
  - example
  - custom-field
  - calculated-field
- Google Maps location from address
  - example
  - calculated-field
  - custom-field
- Using project properties to calculate custom sequence numbers
  - example
  - post-function
  - calculated-field
  - project-properties
- Number of open subtasks
  - example
  - calculated-field
- Setting the priority depending on the multiplication of custom fields

    - example
    - calculated-field
    - post-function
- Predicted due date of an epic
    - example
    - calculated-field
- Number of issues in same version
    - example
    - calculated-field
- Number of linked bugs (with hyperlink)
    - example
    - calculated-field
- Total remaining estimate in an epic
    - example
    - calculated-field
- Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B
    - example
    - validator
    - custom-field
- Validation on the value of a Cascading Select field
    - example
    - validator
    - custom-field
- Make different fields mandatory depending on the value of a Select List custom field
    - example
    - validator
    - custom-field
- Validate compatible values selection among dependent custom fields
    - example
    - validator
    - custom-field