

Copy issue labels to a custom field

On this page

- [Features used to implement the example](#)
- [Example: Copy issue labels to a custom field](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

Features used to implement the example

- [Copy parsed text to a field](#)

Example: Copy issue labels to a custom field

Can I use copy parsed text with a custom labels field as the source.

I have just released version 2.0.16 of [Jira Workflow Toolbox](#). This new version of the app supports custom fields of type "**Labels**", and should solve your problem.

Other examples of that function

Page: [Add all assignees of certain sub-task types to a "Multi-User Picker" custom field](#)

Page: [Add and remove a single or a set of items from multi valued fields](#)

Page: [Add current user to comment](#)

Page: [Add or remove request participants](#)

Page: [Add watchers from a part of the issue summary: "Summary_text - watcher1, watcher2, watcher3, ..."](#)

Page: [Assign issue based on the value of a Cascading Select custom field](#)

Page: [Assign issue to last user who executed a certain transition in the workflow](#)

Page: [Automatically close resolved sub-tasks when parent issue is closed](#)

Page: [Automatically reopen parent issue when one of its sub-tasks is reopened](#)

Page: [Calculate the time elapsed between 2 transition executions](#)

Page: [Close parent issue when all sub-tasks are closed](#)

Page: [Combine the values of several Multi-User picker fields](#)

Page: [Compose a parsed text including the "full name" or a user selected in a User Picker custom field](#)

Page: [Compose dynamic text by inserting field values in a text template](#)

Page: [Copy issue labels to a custom field](#)

Page: [Copy the value of a user property into a user picker](#)

Page: [Create a comment in sub-tasks when parent transitions](#)

Page: [Execute transition in epic](#)

Page: [Getting the number of selected values in a custom field of type Multi Select](#)

Page: [Limit the number of hours a user can log per day](#)

Page: [Make a sub-task's status match parent issue's current status on creation](#)

Page: [Make parent issue progress through its workflow](#)

Page: [Moving story to "In Progress" when one of its sub-tasks is moved to "In Progress"](#)

Page: [Moving story to "Ready for QA" once all its sub-tasks are in "Ready for QA" status](#)

Page: [Parse Email addresses to watchers list](#)

Page: [Parsing text from last comment and appending it to issue's summary](#)

Page: [Remove versions selected in a version picker custom field](#)

Page: [Replace certain issue link types with different ones](#)

Page: [Restrict parent issue from closing if it has sub-tasks that were created during a given parent issue status](#)

Related Usage Examples

- [Validation on the value of a Cascading Select field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Make different fields mandatory depending on the value of a Select List custom field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validate compatible values selection among dependent custom fields](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validate a custom field "Story Points" has been given a value in Fibonacci sequence](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Enforce a field \(Select List\) to be set when another field \(Radio Button\) has a certain value \(works with any kind of field type\)](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Make attachment mandatory depending on the value of certain custom field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Create a dynamic set of sub-tasks based on checkbox selection with unique summaries](#)
 - [example](#)

Page: Set a Select or Multi-Select field using regular expression to express the values to be assigned

Page: Set assignee depending on issue type

Page: Set field depending on time passed since issue creation

Page: Set priority for issues that have been in a certain status for longer than 24 hours

Page: Set security level based on groups and project roles the reporter or creator are in

Page: Transition linked issues in currently active sprint

Page: Transition only a sub-task among several ones

Page: Transition parent issue only when certain issue sub-task types are done

Page: Update Cascading Select custom field with a value of the field in parent issue

Page: Update checkboxes custom field if a file has been attached during a transition

Page: Validation on issue attachments

Page: Validation on MIME types of issue attachments

Page: Writing a comment to blocked issues when blocking issues are resolved

- post-function
 - custom-field
 - sub-task
- Total of all story points in an epic
 - example
 - custom-field
 - calculated-field
- Show timeliness of an issue based on two date pickers
 - example
 - custom-field
 - calculated-field
- Add and remove a single or a set of items from multi valued fields
 - example
 - post-function
 - custom-field
 - issue-links
 - sub-task
- Highest value of a custom field among linked issues
 - example
 - custom-field
 - calculated-field
- Google Maps location from address
 - example
 - calculated-field
 - custom-field
- Make certain custom field required in resolve screen only if the resolution was set to "Fixed"
 - example
 - validator
 - custom-field