

siblingIssuesUnderEpic()

This function returns an **issue list** containing sibling issues which are **linked** to **same** epic as **the current issue**.

The current issue will **not** be included in the output, **except** if it is an epic itself.

Only standard issues (no sub-tasks) will be returned and duplicates are being removed.

Syntax

siblingIssuesUnderEpic() #Output: Issue list

Examples

Parser expression	Description
<pre>siblingIssuesUnderEpic()</pre>	<p>This example returns a list with the all issues linked to the same epic as the current issue, excluding the current issue, e.g.:</p> <p>[JWT-2, JWT-3, JWT-4]</p>

Output

This function returns an

ISSUE LIST

Variant where you additionally define **issues**.

Duplicated issues are filtered from the output.

Syntax

siblingIssuesUnderEpic(issueList) #Output: Issue list

Examples

Parser expression	Description
<pre>siblingIssuesUnderEpic (linkedIssues("is blocked by"))</pre>	<p>This example returns the issue list of all all issues linked to the same Epics as the issues blocking the current issue, excluding the blocking issue e.g.:</p> <p>[JWT-2, JWT-3, JWT-4]</p> <p>To achieve this the following functions are used:</p> <ul style="list-style-type: none">• linkedIssues()

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueList	<input type="text" value="ISSUE LIST"/>	Any given issue list. Usually this value is retrieved from a function (e.g. linkedIssues() or siblingIssuesUnderEpic()).

Output

This function returns an

Variant where you define **issue keys** instead.

Syntax

```
siblingIssuesUnderEpic(issueKeys) #Output: Issue list
```

Examples

Parser expression	Description
<pre>siblingIssuesUnderEpic ("CRM-15, HD-21")</pre>	This example returns an issue list of issues linked to the same epics as CRM-15 and HD-21 . excluding issues with keys CRM-15 and HD-21 from the output.

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueKeys	<input type="text" value="TEXT"/>	A comma separated list of issue keys.

Output

This function returns an

If you want to **include the given issues** in the output, have a look at [issuesUnderEpic\(\)](#) instead.



Use cases and examples

Use case

No content found.
