

filterByStatus()

This function filters the given **issue list** by the provided **statuses**.

Syntax

```
filterByStatus(issueList, statuses) #Output: Issue list
```

Examples

Parser expression	Description
<pre>filterByStatus(linkedIssues("is blocked by"), "Open, Reopened, In Progress")</pre>	<p>This example returns the issue list of blocking issues in statuses Open, Reopened or In Progress.</p> <p>To achieve this, the following functions are used:</p> <ul style="list-style-type: none">• linkedIssues()
<pre>filterByStatus(subtasks(), "Done")</pre>	<p>This example returns an issue list with all sub-tasks that are in status Done.</p> <p>To achieve this, the following functions are used:</p> <ul style="list-style-type: none">• subtasks()

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueList	<input type="text" value="ISSUE LIST"/>	Any given issue list. Usually this value is retrieved from a function (e.g. linkedIssues() or subtasks()).
statuses	<input type="text" value="TEXT"/>	Any given status name. Several statuses can be provided as comma separated list.

Output

This function returns an



Use cases and examples

Use case	JWT feature	Workflow function	Field type	Automated action	Parser functions
Close epic when stories are done				Transition issue action	count() filterByStatus() issuesUnderEpic()

Automatically close parent when all sub-tasks are done



Transition issue action

count()
filterByStatus()
siblingSubtasks()
(
