Copy JWT user property

This post function **copies** the value of a **user property** to a field. Read more about JWT user properties.

⚙ Configuration

User

Select a specific user that you want to **copy** the **property value** from.

Property key

JWT user properties consist of a **key** and a **value**.

Specify the property **key** in this parameter. The corresponding **value** will be copied. The Basic text mode is available where you can enter a text, and also use field codes.

Target field

Select the **field** the user property value will be copied to.

If you want to **reuse the user property's value in a following post function**, you can select as Target field one of the temporary text fields as a target field and reference them later on.

Additional options

Choose to **update issues immediately** if you want Jira to fire a separate "Issue updated" event for any field change. This will also result in a dedicated **issue history** entry.

Conditional execution

You can **optionally** specify a logical expression to define the circumstances (or conditions) under which the post function should be executed.

The result of the logical expression must return a boolean value of either:

- `true` the post function will be executed
- `false` the post function will **not** be executed

Using the **conditional operator,** even complex or multi-layered conditions can be constructed.

Make sure to learn more about defining logical expressions and browse through the various **examples** here: Logical mode

📁 Use cases and examples

Use case	JWT feature	Workflow function	Parser functions	Label
Escalate issue to assignee's supervisor	⚙	Copy JWT user property	userProperty()	STAFF PICK

If you still have questions, feel free to refer to our support team.