

# allCommentCreators()

This function returns a **text list** with **all comment creators** of the **current issue** by update date in **asc ending** order.

For anonymous comments an empty text ("" ) is returned.

### Syntax

allCommentCreators() #Output: Text list

### Examples

| Parser expression    | Description                                                                                |
|----------------------|--------------------------------------------------------------------------------------------|
| allCommentCreators() | This example returns <b>all</b> issue commenters, e.g.:<br><br>"admin.istrator, bob.smith" |

### Output

This function returns a 

TEXT LIST

Variant where you additionally define **issue keys**.

### Syntax

allCommentCreators(issueKeys) #Output: Text list

### Examples

| Parser expression            | Description                                                                                         |
|------------------------------|-----------------------------------------------------------------------------------------------------|
| allCommenters(%{parent.key}) | This example returns a <b>text list</b> with the user names of comment authors of the parent issue. |

### Additional information

Parameters used in this function

| Parameter | Input (data type) | Description |
|-----------|-------------------|-------------|
|-----------|-------------------|-------------|

|           |      |                                                         |
|-----------|------|---------------------------------------------------------|
| issueKeys | TEXT | A text containing issue keys as a comma-separated list. |
|-----------|------|---------------------------------------------------------|

## Output

This function returns a TEXT LIST

Variant where you can additionally define specific issues in an **issue list**.

### Syntax

```
allCommentCreators(issueList) #Output: Text list
```

## Examples

| Parser expression                                              | Description                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>allCommentCreators(linkedIssues("is blocked by"))</code> | <p>This example returns a <b>text list</b> with all the commenters for <b>linked issues</b> blocking the current issue.</p> <p>To achieve this, the following functions are used:</p> <ul style="list-style-type: none"> <li><a href="#">linkedIssues()</a></li> </ul> |

## Additional information

Parameters used in this function

| Parameter | Input (data type) | Description                                                                                                                                 |
|-----------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| issueList | ISSUE LIST        | Any given issue list. Usually this value is retrieved from a function (e.g. <a href="#">linkedIssues()</a> or <a href="#">subtasks()</a> ). |

## Output

This function returns a TEXT LIST

If you additionally want users who have updated comments, have a look at [allCommenters\(\)](#).

## Use cases and examples

### Use case

No content found.

