

Seeds

On this page

[Seed issues](#) | [Seed texts](#) | [Seed numbers](#)

Probably most of the time, doing things with the help of JWT is related to a **single object** - the **issue** currently being **transitioned**, e.g. by adding a comment, updating a field, sending an email, etc.

Referring to the **current issue's information** can be done by using a simple field code like `%{issue.description}`.

However, since you can also use more complex functions in JWT that work with **multiple objects**, this simple notation is not sufficient for those use cases. To name a few examples

- Creating sub-tasks based on the (dynamic) **selection** of components set in the current issue
- Create a task for **each issue** returned by a JQL query (dynamic)
- Create a set of **three** (static) **stories** in an Epic with distinct pieces of information

Whenever Jira Workflow Toolbox has to handle (or **iterates** over) multiple elements of **Lists** (or sources), those elements are referred to as **seeds**. Depending on the type of list, those are referred to as

- **Seed issues** - for elements of **issue lists**
- **Seed texts** - for elements of **text lists** (e.g. custom field options, components etc.)
- **Seed numbers** - for elements of **number lists**



Seed issues

Issue lists can be specified by **JQL queries**, **issue list expressions**, or (in some post functions or automation actions) by **predefined selections**, e.g. Issues under Epic.

When dealing with issue lists, the notation for accessing values of each element is `%{seed.issue.someField}`, e.g. `%{seed.issue.summary}`

Workflow functions and automation actions

You might face seed issues when trying to create/update/transition multiple issues.

- [Create issue](#) post function
- [Create issue action](#)

Number of issues to be created	Mode	Description
Multiple issues	JQL	An issue is created for every issue returned by the JQL query.
Multiple issues	Issue list	An issue is created for every issue returned by the issue list expression.

Example: You want to create multiple issue based on a a custom JQL that returns three issues:

- DEMO-1 Issue A
- DEMO-2 Issue B
- DEMO-3 Issue C

Creating issues based on this JQL query, the post function will run **three** times, where the following values will be returned throughout those three runs

Run	%{seed.issue.key}	%{seed.issue.summary}
1	DEMO-1	Issue A
2	DEMO-2	Issue B
3	DEMO-3	Issue C

In general, using the seed notation, the **nth run** returns the field values of the **nth issue** from this list.

When choosing the [Issue list mode](#), e.g. with an expression like [linkedIssues\(\)](#), the behavior is the same.

Further workflow functions and automation actions using seed issues

- [Transition issues](#) post function
- [Update or copy field values](#) post function
- [Condition on a list of issue keys](#) or [Validation on a list of issue keys](#)
- [Condition on linked issues](#) or [Validation of linked issues](#)
- [Condition on sub-tasks](#) or [Validation of sub-tasks](#)



Seed texts

Text lists can either be

- **static**, e.g. ["firstElement", "secondElement", "thirdElement"], or
- **composed dynamically** by using the [toStringList\(\)](#) expression parser functions, e.g. [toStringList\(%{issue.components}\)](#) or [toStringList\(%{issue.cf12345}\)](#) (where the custom field with the ID 123456 is a multi option custom field) or
- **calculated** by using one of the functions that return a text list like [fieldHistory\(\)](#), [groupsUserBelongsTo\(\)](#) etc., e.g. [fieldHistory\(%{issue.summary}\)](#) or [groupsUserBelongsTo\(%{system.currentUser}\)](#)

When dealing with text lists, the notation for each element [%{seed.text}](#).

Workflow functions and automation actions

Create issue post function

Number of issues to be created	Mode	Description
Multiple issues	Text list	An issue is created for each element of a text list.

Given the example of a static list above, **the post function will run three times** and the following values will be returned throughout those three runs

Run	%{seed.text}
1	firstElement
2	secondElement
3	thirdElement

Given a dynamic example, having selected the components Frontend and Backend on an issue, the post function will run two times returning the following values for each run

Run	%{seed.text}
1	Frontend
2	Backend

After adding a third component Interface, the post function will run three times returning the following values for each run

Run	%{seed.text}
1	Frontend
2	Backend
3	Interface

According to this scenario, composing a summary with an expression like

```
"Summary of " + %{seed.text} + " Issue"
```

will result in **three** issues, named

- **Summary of Frontend Issue**
- **Summary of Backend Issue**
- **Summary of Interface Issue**

Expression parser functions

List functions like [mathOnStringList\(\)](#) or [textOnStringList\(\)](#)

Examples

- [Create a sub-task for each component](#)



Seed numbers

Number lists can either be

- **static**, e.g. [1, 2, 3], or
- **composed dynamically** by using the [toNumberList\(\)](#) expression parser function or
- **calculated** by using one of the functions that return a number list like [releaseDates\(\)](#), [timesOfTransition\(\)](#), etc., e.g. `releaseDates(%{issue.fixVersions})` or `timesOfTransition("Done", "Open")`

When dealing with number lists, the notation for each element is `{seed.number}`.

Workflow functions and automation actions

- [Create issue post function](#) or
- [Create issue action](#)

Number of issues to be created	Mode	Description
Multiple issues	Numeric mode	The number of issues provided by the numeric value is created.

Given a static example with the numeric value of 3 in order to create three issues, the following values will be returned for each run

Run	{seed.number}
1	1
2	2
3	3

The number 3 is interpreted as a number list [1, 2, 3].

According to this scenario, composing a summary with an expression like

```
"Summary of Issue # " + {seed.number}
```

will result in three issues, named

- **Summary of Issue # 1**
- **Summary of Issue # 2**
- **Summary of Issue # 3**

Expression parser functions

List functions like [mathOnNumberList\(\)](#) or [textOnNumberList\(\)](#)

If you still have questions, feel free to refer to our [support](#) team.