

usersInRole()

This function returns a **list** of **all user names** of active users that are **members** of a given **project role** in the current issue's project.

Multiple project roles can be specified in a comma-separated list of project role names, returning members of all specified project roles.

Syntax

usersInRole(projectRole) #Output: Text list

Examples

Parser expression	Description
<pre>toString(usersInRole("Developers"))</pre>	This example returns a comma-separated list of all members of the Developers project role in the current issue's project, e.g.: admin.istrator, b.smith, a.grant To achieve this, the following functions are used: • toString()

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
projectRole	TEXT	Text containing a valid project role name. Multiple project roles can be specified in a comma-separated list of project role names.

Output

This function returns a

Variant where you can additionally define a specific **project key**.

Syntax

usersInRole(projectRole, projectKey) #Output: Text

Examples

Parser expression	Description
<pre>usersInRole("Developers", "CRM")</pre>	This example returns a comma-separated list of all members of the Developers project role in the CRM project, e.g.: admin.istrator, b.smith, a.grant To achieve this, the following functions are used: • toString()

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
projectRole	TEXT	Text containing a valid project role name. Multiple project roles can be specified in a comma-separated list of project role names.
projectKey	TEXT	Text containing a valid project key.

Output

This function returns a



Use cases and examples

Use case

No content found.
