# Add a sub-task's summary and key to the description of its parent

### On this page

Configuration steps | Target issue\* | Fields | Run as\* | Conditional execution | Related examples

#### Use case

When a **sub-task is created**, its **summary**, **issue key** and **date**, **and time of creation** will be added to the **description** of the **parent** issue.

## Configuration steps



#### Target issue\*

Select Parent of current issue.

The parent of the current issue will be updated.



#### **Fields**



Select Description.



Set the Value\* to Set field value manually (parser expression) and insert the following expression:

```
%{parent.description}
Sub-task %{issue.key} has been created on %{system.currentDateTime}.
```

The **issue key** and **date and time of creation** of the sub-task will be added to the description of the **par ent** issue.



#### Run as\*

Choose which user\* will be able to execute the post function. By default, it is set to the Current user.



#### **Conditional execution**

Insert the following expression:

%{issue.issueType} = "Sub-task"

The post function will only be executed if the created issue is a **sub-task**.



# Related examples

Use case	JWT feature	Workflow function	Parser functions	Complexity
Add a sub-task's summary and key to the description of its parent	(¢)	Update fields		BEGINNER
Add three days skipping weekends automatically to a Date Picker	(c)	Update fields	dateTimeToStri ng() dayOfTheWee k()	BEGINNER
			addDays()	
Add watchers from another field	(c)	Update fields	union()	
		Transition issue	toStringList()	
Assign an issue to the project lead, if the issue is unassigned on creation	(ģ)	Update fields		BEGINNER
Assign an issue to the user who last commented on it	(g)	Update fields		BEGINNER
Assign important issues to the project lead	(g)	Update fields		BEGINNER
Copy field values from epic to issues under it after creation	ξģ;	Update fields Transition issue	epic() issuesUnderEp ic() filterByStatus()	BEGINNER
Copy labels of a sub-task to the parent issue upon closing	(¢)	Update fields		BEGINNER
Keep parent's priority in sync	(¢)	Update fields		BEGINNER
Obtain the difference between two dates	(g)	Update fields		BEGINNER
Set a date field to a future date	(ģ)	Update fields	dateTimeToStri ng()	BEGINNER
Set a date field to the current date	(g)	Update fields	dateTimeToStri ng()	BEGINNER

Set Fix version to Affects version when resolving an issue

Update fields

INTERMEDIATE

Set the priority to Highest if the 'Infrastructure' component is selected

Update fields

If you still have questions, feel free to refer to our support team.