Get started

The way tasks and processes are managed in Jira is through **workflows**. A workflow maps out the **sta tuses** an issue can go through and the available **transitions** between these statuses that together define your entire process.

You can edit the overall workflow used in a project, or modify the way particular issue types are handled in their workflow. **But**: At some point, you might end up stuck in the middle of nowhere because of **feature limitations**.


At this point, Jira Workflow Toolbox for Jira Cloud (JWT) comes in handy!


JWT for Jira Cloud enhances the way you configure workflows. It **extends the native functionality** by offering custom conditions , validators, and post functions.

Install JWT Cloud

Installing **Jira Workflow Toolbox Cloud** is simple and does not differ from the installation of any other Jira app. More information on managing apps can be found in the Atlassian documentation.

You must be a Jira Administrator to be able to install an app.










After confirming, the app is ready to use and you're ready for your first steps!

If you still have questions, feel free to refer to our support team.

First steps







Select the desired condition, validator, or post function - the ones provided by JWT Cloud end with (by JWT).

Click on Add to be redirected to the configuration page of the chosen feature.

For inspiration and a better understanding, make sure to check out our use case library.

If you still have questions, feel free to refer to our support team.

User interface



All workflow functions provided by **JWT for Jira Cloud** are divided into **two** areas in the user interface. A **configuration area** on the left-hand side and a sidebar with some **getting started examples** on the right-hand side.

Every workflow function consists of multiple configurable fields. **Mandatory fields** are marked with a red asterisk (*) and are essential for the correct operation of the function.

The number of available fields depends on the function. Make sure to check out all available **fields** referenced by their corresponding **field codes**.

A configuration from one of the built-in usage examples should look like this:

Ad	mii	histi	ratio	n
Au		1130	auo	

Add Parameters To Function	
Add required parameters to the Function	

Create issue (by JWT)			
Create one or multiple issues or su	b-tasks.		
Mode*			
Single issue			~
Select the number of issues to be created	d.		
Issue type*			
Selected issue type			~
Select the issue type that will be created.			
Sub-task			~
Select the issue type that will be created.			
Parent issue*			
Current issue			~
Select the parent of the issue to be create	ed.		
Summary*			
🕑 🎉 l Sub-task relat	ed to %(issue.components)		
Enter plain text and optionally use field o	codes, e.g. %{issue.summary}, to insert field values.		
Description			
O 🐹 1			
Select additional fields to be set. Field	Value		
	No fields conf	igurea:	
Add field			~
Issue links			
Optionally define issue links to be create	of for the new incus(r)		
Link type	Linked issues	Condition	
	No links confi	igured!	
Add issue link			~
Run as*			
Current user Select the user that will be used to execu	to this and four disc (the investments)		Ý
server and user that will be used to execu			
Conditional execution	ite this post function (the issue creator).		
Conditional execution	rte this post function (the issue creator).		

GET STARTED

Pick one of the following example configurations and get started in no time. More details will be provided upon your selection.

• Create an issue in the current project

• Create a sub-task for each component

Create a sub-task for high priority issues

HELP US TO IMPROVE JWT FOR JIRA CLOUD

As we are continuously improving JWT for Jira Cloud and adding features, we are very interested in how you work with the app and how we can support you in implementing your use cases.

Send	

GET THE MOST OUT OF JWT FOR JIRA CLOUD

The powerful JWT for Jira Cloud **expression parser** will get you all the data you need - whether from the current issue or its parent.

Take the tour

This example for a create issue post function will create a sub-task under the current issue and set the assignee to the current user.

For more examples like this with detailed steps check out our use case library.

If you still have questions, feel free to refer to our support team.


Add Cancel

Highlights

Turn ideas into workflows / Workflow functions

JWT for Jira Cloud massively extends the native workflow functionality available in Jira Cloud by offering custom conditions, validators, and post functions. Focusing on an essential, highly versatile set of workflow functions to shape workflows according to your needs and solve even complex requirements.

- Control the availability of transitions use extremely powerful Jira expressions to enforce a predefined issue state before or while transitioning issues - from matching field values to a maximum number of linked issues.
- Automate repetitive or manual tasks spend less time and increase consistency while creating, transitioning, and updating issues and issue fields with dedicated JWT post functions - no matter if you prefer JWT or Jira expressions. We support both!
- Increase flexibility while reducing manual overhead meet advanced requirements using conditional logic in post functions to only automate certain actions if the timing is right.




		Add Post Function To Transition
•••		Name
III DECADIS OPAPPS Y	our work Projects - Filters - Dashboards - People - Apps - Create	Add comment (by JWT)
	Administration	
Issues	Add Parameters To Function	 Assign to Lead Developer
ISSUE TYPES	Add required parameters to the Function.	 Assign to Reporter
Issue types	Update fields (by JWT)	O Clear Field Value
Issue type schemes	Update one or multiple issue fields.	O Copy Value From Other Field
Sub-tasks	Target issue *	Create Crucible Review Workflow
WORKFLOWS	Current issue V Select the issue to be updated.	Function
Workflows	Fields	 Create issue (by JWT)
Workflow schemes	Select field	Create issue (by JWT)
	Select the fields to be set. Run as *	 Set issue security level based on user's
SCREENS	kun as * Current user	project role
Screens	Select the user that will be used to execute this post function.	 Transition issue (by JWT)
Screen schemes	Conditional execution	 Trigger a Webhook
Issue type screen schemes	O K Logical ✓ Add field ✓ Examples ✓ P ?	
	1 [Like 1 / Col 0] Thy your expression	 Update Issue Custom Field
FIELDS	The post function will only be executed if the condition is met.	 Update Issue Field
Custom fields		 Update fields (by JWT)

All the power, one parser / Expression parser & field codes

JWT for Jira Cloud ships with a powerful expression parser providing a constantly growing number of built-in functions. Instead of writing and maintaining scripts, use easy-to-read and well-documented functions like subtask() or count() and robust field codes make accessing and processing any issue data a breeze.


- Easily access all issue data every issue field is just a click in a dropdown menu away.
- Access even more data field codes and parser functions let you retrieve essential data which is not directly accessible through the UI - from historic field values to the number of linked issues.
- Change happens, be prepared the JWT field codes make fields, and your expressions, immune to field name updates.




All control in a single place / Expression editor

The JWT expression editor is your control center for managing Jira and JWT expressions. It detects what you want to achieve, from setting values to configuring complex conditional executions, and lets you test your expressions in a central location.

- Pick the right field depending on what you are configuring, JWT injects the right field code at the right time into your expression.
- Live testing validate your expression against any issue and preview the output in real-time.
- Get help when you need it explore all available parser functions, and use the in-app handbook to copy and paste or mark them as favorites.
- Be a parser hero use the auto-complete function to speed up composing your expressions.



DECADIS	APPS Your work Projec	s v Filters v Dashboards v People v Apps v Create Q Search		Ô	
Updat Updat Target Pare	Expression Parser Hand	ook All functions	×		
Select	THE BASICS	Filter by label V Filter by input V Filter by cutput V Search	٩		
Select	FUNCTION LIBRARY	Function :	Output		
Field	All functions	☆ sabs (number) [2] Returns the absolute value of the input number.	NUMBER	ct	
Prior	Favorite functions	and) 2			
Run as Curn	Dates and times	A sarger is a series of a given number list.	NUMBER	r Jira	
Select Condi	Numbers	ceil(number) Returns the smallest mathematical integer that is greater than or equal to the input number.			
•	Texts	count() C STATEPICK Returns the number of elements in a text, number or issue list.	NUMBER		
The po	Converting data types	★ 3 datePart () C Returns the date part of any given date.	NUMBER		
		A detTimeToString() [2] Returns the timestamp of any given date in text form.	TEXT	ion	



Stay on top of your workflows / Audit Log

Do you know what's going on in your workflows and how your JWT workflow customizations are performing? Can you identify potential problems before a larger number of users are affected? JWT for Jira Cloud's Audit Log provides you with exactly that kind of important information.

- Get the big picture access, search, and filter all information related to your JWT workflow customizations in a central location.
- Faster troubleshooting if things go wrong, access details about the location and the result and workflow errors, including the affected user.
- Easier tracking of changes spot which users have configured new workflow customizations or updated existing ones in a glance.

	Your work Projects ~ Filters ~	Dashboards v People v Apps v	Create		Q. Search	₹ 0 0 ×			
Apps	Jira Workflow Toolbo	х							
ATLASSIAN MARKETPLACE	Audit log	Audit log							
Manage apps	Contains text	Q. Time: Al				10 V Documentation			
App requests OAuth credentials ECTA	1-10 of 15					Prev 1 2 Next			
JIKA WORKFLOW TOOLBOX	Date	User	Issue	Context	Event	Actions			
Audit log (AWT)	10.12.2020. 12:07:40	Cassie Owens	TIS-138	Add comment	SUCCESS	Show more			
	10.12.2020. 12:07:37	Cassie Owens	TIS-124	Create issue	SUCCESS	Show less			
	DETAILS Workflow name Transition name Context Rule ID User Run as user	Stop Pr Create 164bu © Cast (SS705 © Cast		DESCRIPTION Issue 'TIS-150' created					
	10.12.2020, 12:07:35	Cassie Owens	TIS-138	Transition issue	SUCCESS	Show more			
	10.12.2020, 12:07:32	Cassie Owens	TIS-138	Create issue	SUCCESS	Show more			
	10.12.2020. 12:07:07	Cassie Owens	TIS-130	Create issue	NO ACTIONS PERFORMED	Show more			
	10.12.2020, 12:07:02	Cassie Owens	TIS-138	Create issue	SUCCESS	Show more			
	10.12.2020. 12:06:34	Max Taylor		Add comment	UPDATED	Show more			

Our commitment beyond the app

JWT for Jira Cloud has been designed for Jira users of all experience levels. The user-centric approach focuses on providing a lean, intuitive interface with all in-depth information being just a click away. But there is more to it than just the app.

- Benefit from extensive documentation and growing use case Our highly trained team is well-known across the ecosystem for
- We love challenges if you have a problem, simply reach out to us directly via the app configuration, our Service Desk or the Atlassian Community.

•						
😑 decadis 🏹 apps 🛛 🔤 Serv	er and Data Center apps 👻 🔒 C	loud apps	👻 🗙 Ge	neral information 👻	Q Suche	
Jira Workflow Toolbo	< Cloud ≡					
GET STARTED	Seiten / JWT for Jira Cloud AE					
+ Alle erweitern - Alle ausbfenden > Conditions	Use cases					
> Validators > Post functions	-			e realized using JWT for Jira Cloud.		
A general note about JWT for Jir USE CASE LIBRARY	Make sure to come by once in a while since the number of use cases will grow over time.					
+ Alle erweitern - Alle ausblenden	📹 Use cases and examp	les				
Use cases for conditions and val Use cases for post functions	Use case	Туре	Function	Use case description	Complexity	
Add comment (use cases) Create issue (use cases) Update fields (use cases)	Add a sub-task's summary and key to the description of its parent	礅	Update fields	When a sub-task is created, its summary, issue key and date, and time of creation will be added to the description of the parent issue.	BEGINNER	
> Transition issue (use cases)	Add comment when rejecting an issue	鐐	Add comment	When an issue is rejected , a comment will be added to the current issue mentioning the reporter.	BEGINNER	
JWT EXPRESSION EDITOR + Alle erweiters - Alle austitenden > Field codes	Alert the assignee of important issues	墩	Add comment	Add a comment to an issue mentioning the assignee. The comment will only be added, if the issue priority is set to "High" or "Highest" to ensure that the assignee will only be alerted for the important issue	BEGINNER	
 Data types Operators 	Alert the reporter	愈	Add	Add a simple comment to an issue mentioning the reporter.	BEGINNER	

