

# stringToDate()

This function converts a **text** with a certain format into a **timestamp**.

## Syntax

```
stringToDate(text, timeZone) #Output: Number
```

## Examples

Parser Expression	Description
<pre>%{stringToDate(%{issue.cf10002}, RUN_AS_LOCAL)}</pre>	This example will convert a text containing date information into a valid timestamp. The configured run-as user's timezone is used for conversion.

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
text	TEXT	The parameter must contain a text in a specific format. Usually this value is retrieved from a <a href="#">field</a> .  ⚠ Valid input string formats are: <ul style="list-style-type: none"><li>• yyyy/MM/dd HH:mm</li><li>• yyyy-MM-dd HH:mm</li><li>• yyyy/MM/dd, yyyy-MM-dd,</li></ul> Also formats defined in <a href="#">moment</a> are valid.
timeZone	TEXT	The <b>time zone</b> used for the calculation.

Days might depend on the **time zone** - it might be Sunday on the west coast of the US while at the same time it's already Monday in Australia.

## Output

This function returns a NUMBER

Variant where you can manually **define the date-time pattern**. [Read more about date-time patterns](#).

## Syntax

```
stringToDate(text, dateTimePattern) #Output: Number
```

## Examples

Parser expression	Description
<pre>%{stringToDate("2020.03.25 11:30:00", "yyyy.MM.dd HH:mm:ss")}</pre>	This example returns a timestamp <b>1583062200000</b> representing the given date-time value.

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
text	TEXT	The parameter must contain a text in a specific format. Usually this value is retrieved from a <a href="#">field</a> .
dateTimePattern	TEXT	Manually defined date-time pattern. <a href="#">Read more about date-time patterns</a> .

## Output

This function returns a

NUMBER



## Use cases and examples

### Use case

No content found.