

# projectsWhereTextProperty()

This **JQL function** returns projects with specific properties containing a **text** value.

### Syntax

```
projectsWhereTextProperty(propertyName, operator, value) #Output: Text list
```

### Examples

Parser expression	Description
<pre>project in projectsWhereTextProperty ("country", "=", "Spain")</pre>	This example returns a list of projects where the project property <b>country</b> is equal to <b>Spain</b> , i.e. text <b>{country=Spain}</b> is present in the project's description.
<pre>project in projectsWhereTextProperty ("country", "matches", "France Germany")</pre>	This example returns a list of projects where the project property <b>country</b> matches the regular expression <b>France Germany</b> , i.e. text <b>{country=France}</b> or <b>{country=Germany}</b> are present in the project description.
<pre>project in projectsWhereTextProperty ("country", "~", "spain")</pre>	This example returns a list of projects where project property <b>country</b> is equal to <b>spain, SPAIN, SpAiN</b> , etc.

### Additional information

Parameters used in this function

Parameter	Input (data type)	Description
propertyName	<input type="text" value="TEXT"/>	The name of a project property containing a text value.
operator	<input type="text" value="TEXT"/>	A valid comparison operator.
value	<input type="text" value="TEXT"/>	The text value used for searching or a regular expression in the case of the <b>matches</b> operator.

### Output

This function returns a

The result is **not what you expected**? The number of returned issues feels **too low**?

By default, the **maximum number** of issues that will be returned by the JQL subquery, and thus can be processed by the logical expression is **1 000**.

To ensure the performance of your entire Jira instance, we limit the execution of the JQL function in terms of **issue count** and **execution time**. Please refer to your admin if you need to change the [configuration](#).