All sub-tasks with a resolution of Done must be in a specific status


On this page

Configuration | Screenshots | Related use cases

Use case

This use case ensures, that all sub-tasks, which have a resolution value of Done must be in a specific status, e.g. Closed.

You can either hide the transition using the Condition on sub-tasks or block the transition using the Val idation of sub-tasks.



Choose Closed



Filter by resolution

Choose Done

Additional options



5

Allow unselected issue types

Check this option to skip the issue type filter.

Allow unselected resolutions

Check this option.

Checking this option ensures that issues with other resolutions are not being considered / analyzed since you only want to analyze issues with a resolution value of Done.

The following parameters are only available, if you are configuring this use case as a validator.

Validator only



Error message

There are sub-task which have a resolution value of Done which are not closed.

6

Screenshots

Update parameters of the Condition on sub-tasks Condition for this transition. Update parameters of the Condition on sub-tasks Condition for this transition.

Basic configuration*

Filter by issue type	
Sub-task 🗙	• •
Only issues matching the selected issue types will be evaluated.	
filter by status *	
Closed ×	• •
Only issues matching the selected statuses will be evaluated.	
ilter by resolution	
Done ×	• •
Only issues matching the defined resolutions will be evaluated.	
Filter by field value	
Only issues where the field values match the provided logical expression are allowed.	
Minimum number of sub-tasks*	
0	0
specify the minimum number of sub-tasks that need to satisfy the specified filter criteria.	
Maximum number of sub-tasks *	
1000	•
Specify the maximum number of sub-tasks that need to satisfy the specified filter criteria.	

Additional options

Allow unselected issue types



Allow unselected statuses

Sub-tasks in unselected statuses will be allowed regardless of their state. This option must be checked, if the status filter should be ignored.

Allow unselected resolutions

Related use cases

Sub-tasks with unselected resolutions will be allowed regardless of their state. This option must be checked, if the resolution filter should be ignored.

Allow unsatisfied field value filter

Sub-tasks not matching the defined field values will be allowed regardless of their state. This option must be checked, if the field value filter should be ignored.



Workflow





feature

Workflow function

Parser Label functions

Use case

All sub-tasks in the Closed status must have a specific resolution	ondition on sub- sks alidation of sub- sks	
All sub-tasks must be Done or Closed	ondition on sub- sks alidation of sub- sks	
All sub-tasks must be resolved	ondition on sub- sks alidation of sub- sks	STAFF PICK
All sub-tasks with a resolution of Done must be in a specific status	ondition on sub- sks alidation of sub- sks	
An issue must have at least 3 resolved Test Cases	ondition on sub- sks alidation of sub- sks	
Specific sub-tasks must be resolved	ondition on sub- sks alidation of sub- sks	

If you still have questions, feel free to refer to our support team.