

Create three issues with individual summaries

On this page

[Configuration](#) | [Screenshots](#) | [Related use cases](#)

Use case

Often creating **repetitive issues** is daily work, e.g. in a software development release process. It might be that for every new feature specific tasks have to be done in order to successfully release a new software version containing this feature, while updating the product documentation, the marketplace presence or sending a newsletter to all customers.

To **avoid creating these issues always manually**, the following automation rule can easily manage this by **creating the issues automatically**.

Should I use a workflow post function or an automation rule?

When to use this workflow post function and when to use an automation rule?

This use case is very useful if only want to create issues automatically for one project and workflow.

If repetitive issues have to be created in several projects, however, that have different workflows, configuring just one automation rule with the [Create issue action](#) might then be the easier way to go.

In this case, you might want to check out our [corresponding automation use case](#).

Configuration

1

Add a [Create issue](#) post function to the **workflow transition** you want. The **Create issue transition** might be the best choice here.

2

Issues to be created

1

Mode

Choose **Multiple issues**


2

Expression

3

with parsing mode set to **Numeric**

Issue type



Choose **Selected issue type** **Sub-task**

Parent issue

Choose **Current issue**

3

Summary

Enter the following **Parser Expression**:

```
getMatchingValue({seed.number}, [1,2,3],  
["Documentation","Marketplace","Newsletter"])
```

with parsing mode set to **Advanced text**.

4

Description

Enter the following **Parser Expression**:

```
getMatchingValue({seed.number}, [1,2,3],  
["Issue for creating the documentation for the feature",  
"Issue for updating the marketplace presence for the app",  
"Issue for creating a newsletter for the feature"])
```

with parsing mode set to **Advanced text**.

5

Run as

User

Choose **Current user**



Screenshots

Update parameters of the Create issue Function for this transition.

Update parameters of the Create issue Function for this transition.

Basic configuration *

Define the required parameters needed to execute this post function.

Mode *
Multiple issues

Select the number of issues to be created.

Expression *
1 3

The expression must return a number that defines the number of issues to be created. From here on, seed numbers can be referenced by %seed.number.

Issue type *
Selected issue type

Select the issue type for the issue to be created.

Sub-task

Select a specific issue type.

Parent issue *
Current issue

Select the parent of the issue to be created.

Fields *

Define the fields to be set.

Summary *
1 getMatchingValue(^,[1,2,3],
2 ["Documentation","Marketplace","Newsletter"])

Enter plain text and optionally use field codes, e.g. %issue.summary, to insert field values.

Description
1 getMatchingValue(^,[1,2,3],
2 ["Issue for creating the documentation for the feature",
3 "Issue for updating the marketplace presence for the app",
4 "Issue for creating a newsletter for the feature"])

Enter plain text and optionally use field codes, e.g. %issue.summary, to insert field values.

Additional fields

Optionally define further fields to be set.

Field	Value
No fields configured!	
Add field	

Copy remaining fields
Don't copy fields

Select whether to copy remaining fields from a specific issue.

- Issue links
- Additional options
- Conditional execution
- Run as



Related use cases

Use case	JWT feature	Workflow function	Parser functions	Label
Clone epic, tasks and sub-tasks		Create issue	toString() toStringList() issueKeysToIssueList() replaceFirst() first() fieldValue() textOnStringList() findModify() subtasks() issuesUnderEpic()	

Create issue

Documentation

Create one or multiple issues or sub-tasks.

Workflow

JWT 3.0.0 Use cases

TO DO

JWT (1471)

IN PROGRESS

Examples

Pick one of the following example configurations and get started in no time. More details will be provided upon your selection.

- Create an issue in the current project
- Create a sub-task for each component
- Create a sub-task for high priority issues

Create an issue in the current project		Create issue		STAFF PICK
Create an issue with a custom summary		Create issue	previousValue()	
Create a sub-task for each component		Create issue	toStringList()	
Create a sub-task for every recurring deadline within a task		Create issue	addMonths() getMatchingValue() dateToString()	
Create a sub-task for every sub-task closed		Create issue	findReplaceFirst() first() findPattern() toString() sum() toNumber()	
Create a sub-task for every user in a field and assign them		Create issue	getMatchingValue() toStringList()	
Create child issue within Advanced Roadmaps hierarchy		Create issue		
Create issues randomly		Create issue	modulus() round() random()	
Create issue under epic		Create issue	toString() epic()	
Create several issues combining fields		Create issue	nthElement() toStringList() modulus() count() ceil()	
Create several sub-tasks depending on the component		Create issue		
Create sub-tasks depending on selected values in custom field		Create issue	toStringList()	STAFF PICK
Create three issues with individual summaries		Create issue	getMatchingValue()	

If you still have questions, feel free to refer to our [support team](#).