

# issuesUnderEpic()

This function returns an **issue list** containing issues which are **linked** to the **same epic as the current issue**.

The current issue will be included in the output, **except** if it is an epic itself.

Only standard issues (no sub-tasks) will be returned and duplicates are being removed.

## Syntax

issuesUnderEpic() #Output: Issue list

## Examples

Parser expression	Description
<code>%{issuesUnderEpic() }</code>	This example returns an <b>issue list</b> with all issues linked to the <b>same epic</b> as the current issue, e.g. <b>[JWT-2, JWT-3, JWT-4]</b>

## Output

This function returns an 

ISSUE LIST

Variant where you additionally define an **issue list**.

Duplicated issues are filtered from the output.

## Syntax

issuesUnderEpic(issueList) #Output: Issue list

## Examples

Parser expression	Description
-------------------	-------------

```
%{issuesUnderEpic(linkedIssues("is blocked by"))}
```

This example returns an **issue list** of all issues linked to the same Epics as the issues blocking the current issue, e.g.

[JWT-2, JWT-3, JWT-4]

To achieve this the following function is used:

- [linkedIssues\(\)](#)

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueList	<input type="text" value="ISSUELIST"/>	Any given issue list.

## Output

This function returns an

Variant where you define **issue keys** instead.

### syntax

```
issuesUnderEpic(issueKeys) #Output: Issue list
```

## Examples

Parser expression	Description
<pre>%{issuesUnderEpic("CRM-15, HD-21")}</pre>	This example returns an <b>issue list</b> of issues linked to the same epics as <b>CRN-15</b> and <b>HD-21</b> , e.g. <b>[CRM-22, CRM-23, HD-24, HD-26, HD-27]</b>
<pre>%{issuesUnderEpic(%{issue.cf10112})}</pre>	This example returns an <b>issue list</b> of issues linked to the same epics as those that are stored in the custom field, e.g. <b>[JWT-2, JWT-3, JWT-4, HD-24, HD-26, HD-27]</b>

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueKeys	<input type="text" value="TEXT"/>	A text containing issue keys sepparated by commas.

---

## Output

This function returns an

If you want to **remove the given issues** from the output have a look at [siblingIssuesUnderEpic\(\)](#) instead.



## Use cases and examples

### Use case

---

No content found.

---