

siblingIssuesUnderEpic()

This function returns an **issue list** containing sibling issues which are **linked** to **same** epic as **the current issue**.

The current issue will **not** be included in the output, **except** if it is an epic itself.

Only standard issues (no sub-tasks) will be returned and duplicates are being removed.

Syntax

siblingIssuesUnderEpic() #Output: Issue list

Examples

Parser expression	Description
<pre>% { siblingIssuesUnderEpic () }</pre>	<p>This example returns a list with the all issues linked to the same epic as the current issue, excluding the current issue, e.g.:</p> <p>[JWT-2, JWT-3, JWT-4]</p>

Output

This function returns an

ISSUE LIST

Variant where you additionally define an **issue list**.

Duplicated issues are filtered from the output.

Syntax

siblingIssuesUnderEpic(issueList) #Output: Issue list

Examples

Parser expression	Description
-------------------	-------------

<pre>%{siblingIssuesUnderEpic (linkedIssues("is blocked by"))}</pre>	<p>This example returns the issue list of all all issues linked to the same Epics as the issues blocking the current issue, excluding the blocking issue e.g.:</p> <p>[JWT-2, JWT-3, JWT-4]</p> <p>To achieve this the following function is used:</p> <ul style="list-style-type: none">• linkedIssues()
--	--

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueList	<input type="text" value="ISSUELIST"/>	Any given issue list. Usually this value is retrieved from a function (e.g. linkedIssues() or issuesUnderEpic()).

Output

This function returns an

Variant where you define **issue keys** instead.

syntax
<pre>siblingIssuesUnderEpic(issueKeys) #Output: Issue list</pre>

Examples

Parser expression	Description
<pre>%{siblingIssuesUnderEpic ("CRM-15, HD-21")}</pre>	This example returns an issue list of issues linked to the same epics as CRM-15 and HD-21 . excluding issues with keys CRM-15 and HD-21 from the output. [CRM-22, CRM-23, HD-24, HD-26, HD-27]
<pre>%{siblingIssuesUnderEpic(% {issue.cf10112})}</pre>	This example returns an issue list of issues linked to the same epics as those that are stored in the custom field, but excluding them, e.g. [JWT-2, JWT-4, HD-24]

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueKeys	<input type="text" value="TEXT"/>	A text containing issue keys separated by commas.

Output

This function returns an

If you want to **include the given issues** in the output have a look at [issuesUnderEpic\(\)](#) instead.



Use cases and examples

Use case

No content found.