

findReplaceAll()

This function replaces **all occurrences** of a given **substring** with a given **replacement**.

Syntax

```
findReplaceAll(text, stringToBeReplaced, replacement) #Output: Text
```

Examples

Parser expression	Description
<pre>findReplaceAll("Goodbye my love, hello my friend.", "my", "your")</pre>	This example returns Goodbye your love, hello your friend.
<pre>findReplaceAll("Jira Workflow Toolbox is a great tool!", "Jira Workflow Toolbox", "JWT")</pre>	This example returns JWT is a great tool!
<pre>findReplaceAll("The weather is beautiful!", "e", "a")</pre>	This example returns Tha waathar is baautiful!

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
text	<input type="text" value="TEXT"/>	Any given text.
stringToBeReplaced	<input type="text" value="TEXT"/>	The string that should be replaced.
replacement	<input type="text" value="TEXT"/>	The replacement for all found substrings matching the stringToBeReplaced .

Output



This function returns a

If you want to use a **regular expression** to find the substrings that should be replaced, have a look at [replaceAll\(\)](#).

If you want of **only** replace the **first** occurrence of a substring, have a look at [findReplaceFirst\(\)](#).



Use cases and examples

Use case	JWT feature	Workflow function	Field type	Automated action	Parser functions
Evaluate Assets objects	 	Logical validator Logical condition			findPattern() findReplaceAll() replaceAll() toStringList()