

# count()

## Supported list types

[Number list](#) | [Text list](#) | [Issue list](#) | [Use cases and examples](#)

### Number list

This function returns the **number** of elements in a **number list**.

#### Syntax

```
count(numberList) #Output: Number
```

## Examples

Parser expression	Description
<pre>%{count([1, 1, 2, 2])}</pre>	This example returns: <b>4</b>

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
numberList	<input type="text" value="NUMBER LIST"/>	Any given number list.

## Output

This function returns a

### Text list

This function returns the **number** of elements in a **text list**.

#### Syntax

```
count(textList) #Output: Number
```

## Examples

Parser expression	Description
<code>%{count(["blue", "red", "blue", "black"])}</code>	This example returns: <b>4</b>
<code>%{count(toStringList(%{issue.components}))}</code>	This example returns the number of components of an issue, e.g: <b>2</b> To achieve this, the following function is used: <ul style="list-style-type: none"> <li>• <a href="#">toStringList()</a></li> </ul>

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
textList	<input type="text" value="TEXT LIST"/>	Any given text list.

## Output

This function returns a



### Issue list

This functions returns the **number** of elements in a given **issue list**.

#### Syntax

```
count(issueList) #Output: Number
```

## Examples

Parser expression	Description
<code>%{count(subtasks())}</code>	This example returns the <b>number</b> of all <b>subtasks</b> of the current issue, e.g: <b>3</b> To achieve this, the following function is used: <ul style="list-style-type: none"> <li>• <a href="#">subtasks()</a></li> </ul>
<code>%{count(linkedIssues("is blocked by"))}</code>	This example returns the <b>number</b> of all <b>linked blocking issues</b> , e.g: <b>2</b> To achieve this, the following function is used: <ul style="list-style-type: none"> <li>• <a href="#">linkedIssues()</a></li> </ul>

---

## Additional information

Parameters used in this function

Parameter	Input (data type)	Description
issueList	ISSUE LIST	Any given issue list. Usually this value is retrieved from a function (e.g. <a href="#">linkedIssues()</a> or <a href="#">subtasks()</a> ).

---

## Output

This function returns a



## Use cases and examples

### Use case

---

No content found.

---