

componentLeads()

This function returns the **user name** of a **component lead** of a specified component.

You can also provide a comma-separated list of components and the function returns a comma-separated list of **user names**.

The output will contain duplicate user names if the same user is a lead of more than one component.

Syntax

componentLeads(components) #Output: Text

Examples

Parser expression	Description
<code>componentLeads("UI")</code>	This example returns the name of the component lead of the UI component associated with the current issue, e.g. admin.istrator
<code>componentLeads(%{issue.components})</code>	This example returns a comma-separated text with the user names of the all component leads for components associated with the current issue, e.g.: admin.istrator, bob.smith

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
components	TEXT	Text including a component name or a comma-separated list of component names.

Output

This function returns a

Variant where you can additionally define a **project key**

Syntax

componentLeads(components, projectKey) #Output: Text

Examples

Parser expression	Description
<pre>componentLeads("Web Portal", "CRM")</pre>	The function returns the user name of the Web Portal component lead for the CRM project , e. g.: admin.sitrator

Additional information

Parameters used in this function

Parameter	Input (data type)	Description
components	TEXT	Text including a component name or a comma-separated list of component names.
projectKey	TEXT	Text including a project key.

Output

This function returns a



Use cases and examples

Use case

No content found.