

Create a user remote action

This action template provides the functionality to create a new Jira user within a Jira on-prem instance.



Configuration

Username

The **Username** parameter defines the name of the new Jira user account.

Password

The **Password** parameter defines the password of the new Jira user account.

Email address

The **Email address** parameter defines the email of the new Jira user account.

Display name

The **Display name** parameter defines the full name of the new Jira user account.



Action-specific response options

The response options define values which are taken from the rest response of the executed template.



| Value | Description |
|----------|--|
| Username | Returns the new username created by the action. |



















Other **default options** like **Response body**, **Response status** or **Set field value manually** are available in any mode in the post function.



Use cases and examples

| Use case | JWT feature | Workflow function | Parser functions | Label |
|--|-------------|-----------------------|------------------|-------|
| Automatically create a version when starting the release | | Execute remote action | | |
| Automatically create a version when starting the release | | Execute remote action | | |

| | | | |
|--|---|-----------------------|--------------------|
| Automatically link an issue to an external one |  | Execute remote action | |
| Automatically link an issue to an external one |  | Execute remote action | |
| Automatically log work on a Jira issue |  | Execute remote action | dateTimeToString() |
| Automatically log work on a Jira issue |  | Execute remote action | dateTimeToString() |
| Clone issue in external instance |  | Execute remote action | |
| Create a comment on an external Jira ticket |  | Execute remote action | |
| Create a comment on an external Jira ticket |  | Execute remote action | |
| Create a component to group issues related to UI design |  | Execute remote action | |
| Create a new employee account during an onboarding process |  | Execute remote action | |
| Create a new employee account during an onboarding process |  | Execute remote action | |
| Create an external project for a new employee during an onboarding process |  | Execute remote action | |
| Create an external project for a new employee during an onboarding process |  | Execute remote action | |
| Create an overview page for a software release |  | Execute remote action | |
| Create an overview page for a software release |  | Execute remote action | |
| Create a personal space for a new employee |  | Execute remote action | |
| Create a personal space for a new employee |  | Execute remote action | |
| Create Confluence page with links to issues |  | Execute remote action | |
| Get attributes of Assets objects |  | Execute remote action | |
| Get Checklist |  | Execute remote action | |

| | | | |
|--|---|-----------------------|---------------------------------------|
| Get Hubspot contact information |  | Execute remote action | |
| Get Hubspot contact information |  | Execute remote action | |
| Link a Jira issue with the corresponding release ticket |  | Execute remote action | |
| Link a Jira issue with the corresponding release ticket |  | Execute remote action | |
| Link issue to issue mentioned in its description |  | Execute remote action | findPattern() first() |
| Notify the reporter of an issue about its status by a Telegram message |  | Execute remote action | |
| Read the information from a Trello card |  | Execute remote action | |
| Read the information from a Trello card |  | Execute remote action | |
| Retrieve the assets of an issue in Jira cloud |  | Execute remote action | |
| Retrieve the assets of an issue in Jira cloud |  | Execute remote action | |
| Set Checklist |  | Execute remote action | |
| Set the assignee of an external issue same as the transitioned issue |  | Execute remote action | |
| Set the assignee of an external issue same as the transitioned issue |  | Execute remote action | |
| Set User Picker field with users from group |  | Execute remote action | |
| Transition an external Jira ticket based on the linked internal one |  | Execute remote action | |
| Transition an external Jira ticket based on the linked internal one |  | Execute remote action | |
| Translate the description |  | Execute remote action | findReplaceAll() |
| Translate the description |  | Execute remote action | replaceAll() wikiToHTML() htmlToTxt() |

If you still have questions, feel free to refer to our [support team](#).