

Link an issue remote action

This action template provides the functionality to create a link between two issues in a Jira Cloud or Jira on-prem instance using one of the Jira default project templates.

Configuration

Link type name

The **Link type name** parameter defines the issue link type to be created **between** the **source issue** and the **target issue**. It is the **name** value of the issue link type and can be found under **Issue Linking**.

Source issue key

The **Source issue key** parameter defines the issue to create the issue link **from**.







Target issue key

















The **Target issue key** parameter defines the issue to create the issue link **to**.















Action-specific response options

This action template does not provide action-specific response options. But the **default options** like **Response body**, **Response status** or **Set field value manually** are available in any mode in the post function.

Use cases and examples

Use case	JWT feature	Workflow function	Parser functions	Label
Automatically create a version when starting the release		Execute remote action		
Automatically create a version when starting the release		Execute remote action		
Automatically link an issue to an external one		Execute remote action		
Automatically link an issue to an external one		Execute remote action		
Automatically log work on a Jira issue		Execute remote action	dateTimeToString()	
Automatically log work on a Jira issue		Execute remote action	dateTimeToString()	

Clone issue in external instance		Execute remote action
Create a comment on an external Jira ticket		Execute remote action
Create a comment on an external Jira ticket		Execute remote action
Create a component to group issues related to UI design		Execute remote action
Create a new employee account during an onboarding process		Execute remote action
Create a new employee account during an onboarding process		Execute remote action
Create an external project for a new employee during an onboarding process		Execute remote action
Create an external project for a new employee during an onboarding process		Execute remote action
Create an overview page for a software release		Execute remote action
Create an overview page for a software release		Execute remote action
Create a personal space for a new employee		Execute remote action
Create a personal space for a new employee		Execute remote action
Create Confluence page with links to issues		Execute remote action
Get attributes of Assets objects		Execute remote action
Get Checklist		Execute remote action
Get Hubspot contact information		Execute remote action
Get Hubspot contact information		Execute remote action
Link a Jira issue with the corresponding release ticket		Execute remote action
Link a Jira issue with the corresponding release ticket		Execute remote action

Link issue to issue mentioned in its description		Execute remote action	<code>findPattern() first()</code>
Notify the reporter of an issue about its status by a Telegram message		Execute remote action	
Read the information from a Trello card		Execute remote action	
Read the information from a Trello card		Execute remote action	
Retrieve the assets of an issue in Jira cloud		Execute remote action	
Retrieve the assets of an issue in Jira cloud		Execute remote action	
Set Checklist		Execute remote action	
Set the assignee of an external issue same as the transitioned issue		Execute remote action	
Set the assignee of an external issue same as the transitioned issue		Execute remote action	
Set User Picker field with users from group		Execute remote action	
Transition an external Jira ticket based on the linked internal one		Execute remote action	
Transition an external Jira ticket based on the linked internal one		Execute remote action	
Translate the description		Execute remote action	<code>findReplaceAll()</code>
Translate the description		Execute remote action	<code>replaceAll() wikiToHTML() htmlToTxt()</code>

If you still have questions, feel free to refer to our [support](#) team.