

Create a page remote action

This action template provides the functionality to create a new Confluence page within a Confluence Cloud or Confluence on-prem instance.

Configuration

Page title

The **Page title** parameter defines the title of the new Confluence page to be created.

Space key

The **Space key** parameter defines the key of the Confluence space where the new Confluence page will be created.

Parent page ID (optional)

Use the optional **Parent page ID** parameter to create a child page under an existing Confluence page. If it is left **blank**, the page gets created as a **top-level** page within the configured space.

In Confluence on-prem, you can find the page ID by navigating to the **Page information** in the right corner menu and then getting the 8 digit number after the **pagelid=** of this URL.

For Confluence Cloud, you have to navigate to the **Page information** via the option **Advanced Details** in the right corner menu and then getting the 20 digit number after the **pagelid=** of this URL.

Page content (optional)

Use the optional **Page content** parameter to insert your custom content to the page to be created. This content needs to follow the [Confluence Storage Format](#).

Action-specific response options

The response options define values which are taken from the rest response of the executed template.

Value	Description
Page ID	Returns the new page ID created by the action.
Link to created page	Returns the link of the page created by the action.

Other **default options** like **Response body**, **Response status** or **Set field value manually** are available in any mode in the post function.

Use cases and examples

Use case

JWT
feature

Workflow
function

Parser functions

Label

Automatically create a version when starting the release		Execute remote action	
Automatically create a version when starting the release		Execute remote action	
Automatically link an issue to an external one		Execute remote action	
Automatically link an issue to an external one		Execute remote action	
Automatically log work on a Jira issue		Execute remote action	dateTimeToString()
Automatically log work on a Jira issue		Execute remote action	dateTimeToString()
Clone issue in external instance		Execute remote action	
Create a comment on an external Jira ticket		Execute remote action	
Create a comment on an external Jira ticket		Execute remote action	
Create a component to group issues related to UI design		Execute remote action	
Create a new employee account during an onboarding process		Execute remote action	
Create a new employee account during an onboarding process		Execute remote action	
Create an external project for a new employee during an onboarding process		Execute remote action	
Create an external project for a new employee during an onboarding process		Execute remote action	
Create an overview page for a software release		Execute remote action	
Create an overview page for a software release		Execute remote action	
Create a personal space for a new employee		Execute remote action	
Create a personal space for a new employee		Execute remote action	
Create Confluence page with links to issues		Execute remote action	

Get attributes of Assets objects		Execute remote action	
Get Checklist		Execute remote action	
Get Hubspot contact information		Execute remote action	
Get Hubspot contact information		Execute remote action	
Link a Jira issue with the corresponding release ticket		Execute remote action	
Link a Jira issue with the corresponding release ticket		Execute remote action	
Link issue to issue mentioned in its description		Execute remote action	findPattern() first()
Notify the reporter of an issue about its status by a Telegram message		Execute remote action	
Read the information from a Trello card		Execute remote action	
Read the information from a Trello card		Execute remote action	
Retrieve the assets of an issue in Jira cloud		Execute remote action	
Retrieve the assets of an issue in Jira cloud		Execute remote action	
Set Checklist		Execute remote action	
Set the assignee of an external issue same as the transitioned issue		Execute remote action	
Set the assignee of an external issue same as the transitioned issue		Execute remote action	
Set User Picker field with users from group		Execute remote action	
Transition an external Jira ticket based on the linked internal one		Execute remote action	
Transition an external Jira ticket based on the linked internal one		Execute remote action	
Translate the description		Execute remote action	findReplaceAll()

[Translate the description](#)



[Execute remote
action](#)

`replaceAll() wikiToHTML() html
ToTxt()`

If you still have questions, feel free to refer to our [support](#) team.