
## Link issue to issue mentioned in its description



Configuration | Related use cases

#### Use case

Link the transitioned issue to the first issue mentioned in its description.



### Configuration

Add the Execute remote action **post function** to the desired transition or create a new transition.

# 2 Create remote action

Select the action Link an issue.

# 3 Select connection

Choose an existing connection or create a new connection.

4 Customize your action

Set action parameters

The values used below are created for the **example** only. Please **provide real input** from your instance for making the use case realistic.



#### Link type name

Set it manually writing the following expression in the expression editor:

Relates



### Source issue key

Choose Copy field value from current issue and select Issue key as field. The link will start from the issue for which the transition is performed.





### Target issue key

Set it manually using the expression editor by **entering the following expression**:

 ${\rm \{first(findPattern(\{issue.description\}, "[A-Z]\{2,\}-[0-9]+"))\}}$ 

Optionally, you can use the Update issue fields (optional) section to save the response body or parts of it into some field



## Related use cases

feature		Parser functions	Label
<b>(2)</b>	Execute remote action		
(g)	Execute remote action		
tộ;	Execute remote action	dateTimeToStrin g()	
<b>(2)</b>	Execute remote action		
क्	Execute remote action		
<b>(2)</b>	Execute remote action		
क्	Execute remote action		
tộ;	Execute remote action		
<b>(2)</b>	Execute remote action		
क्	Execute remote action		
<b>(</b>	Execute remote action	findPattern() first()	
<b>(</b>	Execute remote action		
<b>(</b>	Execute remote action		
	级 袋 袋 袋 袋 袋 袋 袋 袋 袋 袋 袋	Execute remote action  Execute remote action	Execute remote action  Execute remote action

Retrieve the assets of an issue in Jira cloud	<b>(</b>	Execute remote action	
Set the assignee of an external issue same as the transitioned issue	<b>(2)</b>	Execute remote action	
Set User Picker field with users from group	<b>(</b>	Execute remote action	
Transition an external Jira ticket based on the linked internal one	<b>(</b>	Execute remote action	
Translate the description	<b>(</b>	Execute remote action	findReplaceAll()

If you still have questions, feel free to refer to our support team.