Check current issue status

On this page

Configuration | Variations | Related examples

Use case

Check whether the current issue is in a particular status.

This use case is valid for both conditions and validators. The only difference is that you can specify an additional **error message** when using a validator.

Configuration



Jira expression*

issue.status.name == "To Do"

This expression checks whether the current issue status is TO DO



Variations

You can easily modify this use case to include / exclude additional statuses.



Jira expression*

issue.status.name == "To Do" || issue.status.name == "In Progress"

The current issue status has to be either to do or N PROGRESS



Jira expression*

issue.status.name != "Done"

The current issue status **must not** be **DONE**



Related examples

Use case JWT Workflow Use case description Complexity feature function

Block a transition based on issue links	n cond	Evaluate issue links and hide transitions based on the outcome. This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.
Block a transition based on sprint information	n cond	Make sure that an issue is not in an active sprint . This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.
Block a transition based on the day of the week	n cond	Block transitions on weekends or any other day of the week. This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.
Block a transition if a predefined field value has not been changed	n cond	only difference is that you can specify an additional error message when using a validator. essio idator
Block a transition if some issues under an epic are not in a certain status	n cond	Check whether an epic has all issues under it in a certain status. Ition This is particularly important if you want to block an epic as long as work is still being done on related sub-tasks. This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.
Check current issue status	n cond	Check whether the current issue is in a particular status. This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.
Check for unresolved sub-tasks	n cond	Check whether the current issue has any unresolved subtasks. Ition This is particularly important if you want to block a parent issue as long as work is still being done on related sub-tasks. This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.
Check if an attachment was added recently	n cond	Make sure that the current user has uploaded a attachment during a definite period of time. This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.

Check parent issue type	Jira express n condition Jira express n valida	This is particularly important if you want to reuse a workflow for multiple sub-task issue types but only want a transition to be available if the sub-task belongs to a certain user story or a bug .	INTERMEDIATE
Check the number of times that a field has changed	Jira express n condition Jira express n valida	This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.	INTERMEDIATE
Evaluate the Parent Link field	Jira express n condition Jira express n valida	This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.	INTERMEDIATE
Evaluate worklogs in sub-tasks	Jira express n condition Jira express n valida	This use case is valid for both conditions and validators. The only difference is that you can specify an additional error message when using a validator.	BEGINNER
Validate an issue only if a comment is written during the transition	Jira express n valida		BEGINNER
Validate worklogs	Jira express n condition Jira express n valida	on Sio	

If you still have questions, feel free to refer to our support team.