

Set the next fix version

On this page

[Configuration](#) | [Related use cases](#)

Use case

Change the fix version of the current issue for the following one by increasing it in one unit.



Configuration

1

Add the [Update or copy field values](#) post function to the transition of your choice.

2

Target issue*

Choose **Current issue**

3

Field*

Choose **Fix Version/s**

4

Value

In the **popup**, select the value **Set field value manually (parser expression)**

5

Expression*

Set the expression editor to **Advanced text** and use the following expression

```
floor(toNumber(%{issue.fixVersions})) + "." + (toNumber(substring(%{issue.fixVersions}, length(toString(floor(toNumber(%{issue.fixVersions}))) + 1, length(%{issue.fixVersions}))) + 1)
```

This expression will update the version 1.0 to the version 1.1, the version 1.1 to the version 1.2 and so forth indefinitely.

Variant













1


```
(floor(toNumber(%{issue.fixVersions})) + 1) + ".0"
```

This expression will update the version 1.0 to the version 2.0, the version 1.2 to the version 2.0, the version 2.0 to the version 3.0 and so forth indefinitely.



Related use cases

Use case	JWT feature	Workflow function	Parser functions	Label
Add days skipping weekends and holidays to a Date Picker field		Update or copy field values	addTime()	
Add or remove request participants		Update or copy field values		
Add watchers ignoring inactive users		Update or copy field values	usersInGroup() isActive() toString() filterByPredicate()	
Assign important issues to the project lead		Update or copy field values		
Assign issue to current user		Update or copy field values		
Automatically fill an insight custom field after a transition		Update or copy field values		
Change the assignee to the next evaluator		Update or copy field values	first() toStringList()	
Create an internal Service Management comment on linked issues		Update or copy field values		
Keep parent issue's priority in sync		Update or copy field values		
Keep track of important status updates		Update or copy field values Fields required or changed	dateTimeToString()	
Match several values of a list		Update or copy field values	toString() distinct() filterByPredicate()	
Prioritize the issues globally		Update or copy field values	indexOf() previousValue() issuesFromJQL()	

Set a date on the same week day on alternate weeks		Update or copy field values	<code>addDays()</code> <code>nextDayOfTheWeek()</code> <code>modulus()</code> <code>weekOfTheYear()</code> <code>datePart()</code>
Set a Date Picker field to the nth day of the month		Update or copy field values	<code>dayOfTheMonth()</code> <code>lastDayOfTheMonth()</code> <code>addDays()</code>
Set assignee based on a former assignee		Update or copy field values	<code>previousValue()</code>
Set Due Date with latest value among sub-tasks		Update or copy field values	<code>fieldValue()</code> <code>max()</code> <code>siblingSubtasks()</code>
Set fix version based on its start and release date		Update or copy field values	<code>toString()</code> <code>textOnStringList()</code> <code>unreleasedVersions()</code> <code>startDates()</code> <code>releaseDates()</code> <code>first()</code>
Set the next fix version		Update or copy field values	<code>floor()</code> <code>toNumber()</code> <code>substring()</code> <code>length()</code>
Shorten the summary to a maximum number of characters		Update or copy field values	<code>substring()</code> <code>length()</code>

If you still have questions, feel free to refer to our [support](#) team.