

# Set Checklist

On this page

[Configuration](#) | [Related use cases](#)

## Use case

Set a Checklist custom field of [Checklist for Jira](#) in the transitioned issue using Jira's [Edit issue REST API](#).



## Configuration

1

Add the [Execute remote action](#) **post function** to the transition of your choice.

2

In **Expert mode**, create a **new action** with the following parameters:

1

### Name

Enter **Set Checklist** as the name of the new action.

2

### Method

Select the **PUT** method.

3

### Default connection

Select the connection with the **current instance**.

4

### REST path.

Enter the following **REST path**.

```
/rest/api/2/issue/{issueIdOrKey}
```

5

### REST path parameter

For the REST path parameter *issueIdOrKey*, select the field **Issue key**.

3

### Action body

Enter an **action body** like the following one. For more indications on how to **configure the action body** to update a *Checklist custom field*, visit the [Checklist documentation](#).















```
{
  "update": {
    "customfield_aaaaa": [
      {
        "set": [
          {
            "name": "Item",
            "checked": false,
            "mandatory": true,
            "id": 3,
            "globalItemId": 1,
            "rank": 0,
            "assigneeIds": [
              ],
            "isHeader": false,
            "status": null
          }
        ]
      }
    ]
  }
}
```

It is necessary to specify the Checklist field ID in the action body, defined as *aaaaa* in our example.



### Related use cases

Use case	JWT feature	Workflow function	Parser functions	Label
Automatically create a version when starting the release		Execute remote action		
Automatically link an issue to an external one		Execute remote action		
Automatically log work on a Jira issue		Execute remote action	dateTimeToString()	
Clone issue in external instance		Execute remote action		
Create a comment on an external Jira ticket		Execute remote action		
Create a component to group issues related to UI design		Execute remote action		
Create a new employee account during an onboarding process		Execute remote action		

Create an external project for a new employee during an onboarding process		Execute remote action	
Create an overview page for a software release		Execute remote action	
Create a personal space for a new employee		Execute remote action	
Create Confluence page with links to issues		Execute remote action	
Get attributes of Assets objects		Execute remote action	
Get Checklist		Execute remote action	
Get Hubspot contact information		Execute remote action	
Link a Jira issue with the corresponding release ticket		Execute remote action	
Notify the reporter of an issue about its status by a Telegram message		Execute remote action	
Read the information from a Trello card		Execute remote action	
Retrieve the assets of an issue in Jira cloud		Execute remote action	
Set Checklist		Execute remote action	
Set the assignee of an external issue same as the transitioned issue		Execute remote action	
Transition an external Jira ticket based on the linked internal one		Execute remote action	
Translate the description		Execute remote action	replaceAll() wikiToHTML() htmlToTxt()

If you still have questions, feel free to refer to our [support team](#).