

Create Confluence page with links to issues

On this page

[Prerequisites](#) | [Configuration](#) | [Related use cases](#)

Use case

Create a Confluence page with macros to **display issues from a Jira instance** after transitioning an issue. The issues for the macros can be obtained from the transitioned issue or from a JQL query.



Prerequisites

1

Establish a **connection** between the Jira and Confluence on premise instances.



Configuration

1

Add the [Execute remote action](#) **post function** to the transition of your choice.

2

Switch to **Expert mode** on the right side menu of the page.

3

Action*

Select the [Create a page remote action](#) template for **Confluence on premise**.

4

Connection*

Choose a **connection to the Confluence instance** if it exists. If not, [create a new one](#) based on the [example for a Confluence on premise instance](#).

5

Customize your action

Update the **Action body** field with the following expression:

```
{
  "title": "Confluence page for ${issue.key}",
  "type": "page",
  "space": {
    "key": "DS"
  },
  "body": { "storage":
    { "value": "
      <p>Link to the Issue: <ac:structured-macro ac:name='jira' ac:schema-version='1' ac:macro-id='cd527206-2486-4b42-8ffd-14d4489fd717'><ac:parameter ac:name='server'>Your Company Jira</ac:parameter><ac:parameter ac:name='columnIds'>issuekey,summary,issuetype,created,updated,duedate,assignee,reporter,priority,status,resolution</ac:parameter><ac:parameter ac:name='columns'>key,summary,type,created,updated,due,assignee,reporter,priority,status,resolution</ac:parameter><ac:parameter ac:name='serverId'>9f2d636e-c842-3388-8a66-17c1b951dd45</ac:parameter><ac:parameter ac:name='key'>${issue.key}</ac:parameter></ac:structured-macro></p>
      <p><br /></p>
      <p><strong>More issues in the project: </strong></p>
      <p><ac:structured-macro ac:name='jira' ac:schema-version='1' ac:macro-id='b21fb7a7-f663-426a-b3d9-759f2be81ae8'><ac:parameter ac:name='server'>Your Company Jira</ac:parameter><ac:parameter ac:name='columnIds'>issuekey,summary,issuetype,created,updated,duedate,assignee,reporter,priority,status,resolution</ac:parameter><ac:parameter ac:name='columns'>key,summary,type,created,updated,due,assignee,reporter,priority,status,resolution</ac:parameter><ac:parameter ac:name='maximumIssues'>20</ac:parameter><ac:parameter ac:name='jqlQuery'>project = ${issue.project.key} </ac:parameter><ac:parameter ac:name='serverId'>9f2d636e-c842-3388-8a66-17c1b951dd45</ac:parameter></ac:structured-macro></p> "
    ,
    "representation": "storage"
  }
}
```

Make sure that you **replace the Confluence space key in the Action body** to the appropriate one before testing the post function. Using an incorrect or nonexistent space key would prevent the creation of the page.







This Action body is used to **create a page with two different macros** in a space with DS key. The first macro displays a **link to the Jira issue that created the page** and the second one to the **issues in the same Jira project as the transitioned issue**.

The second macro can be modified to run under a different JQL query by changing the query `project = ${issue.project.key}` in the expression with the desired one.



Related use cases

Use case	JWT feature	Workflow function	Parser functions	Label
Automatically create a version when starting the release		Execute remote action		
Automatically link an issue to an external one		Execute remote action		
Automatically log work on a Jira issue		Execute remote action	dateTimeToString()	

Clone issue in external instance		Execute remote action	
Create a comment on an external Jira ticket		Execute remote action	
Create a component to group issues related to UI design		Execute remote action	
Create a new employee account during an onboarding process		Execute remote action	
Create an external project for a new employee during an onboarding process		Execute remote action	
Create an overview page for a software release		Execute remote action	
Create a personal space for a new employee		Execute remote action	
Create Confluence page with links to issues		Execute remote action	
Get attributes of Assets objects		Execute remote action	
Get Checklist		Execute remote action	
Get Hubspot contact information		Execute remote action	
Link a Jira issue with the corresponding release ticket		Execute remote action	
Notify the reporter of an issue about its status by a Telegram message		Execute remote action	
Read the information from a Trello card		Execute remote action	
Retrieve the assets of an issue in Jira cloud		Execute remote action	
Set Checklist		Execute remote action	
Set the assignee of an external issue same as the transitioned issue		Execute remote action	
Transition an external Jira ticket based on the linked internal one		Execute remote action	
Translate the description		Execute remote action	replaceAll() wikiToHTML() htmlToTxt()

If you still have questions, feel free to refer to our [support](#) team.