

Make "Affects Version/s" mandatory when issue resolution is "Fixed"

On this page

- [Features used to implement the example](#)
- [Example: Make "Affects Version/s" mandatory when issue resolution is "Fixed"](#)
- [Other examples of that function](#)
- [Related Usage Examples](#)

Features used to implement the example

- [Validation based on regular expression](#)

Example: Make "Affects Version/s" mandatory when issue resolution is "Fixed"

You can implement using [Validation based on regular expression](#). You have to use a validator in transition "Close" and "Resolve" using the following configuration:

| | | |
|--|--|---|
| Field or parsed text to be checked for matching with the regular expression: | <input type="radio"/> Field | Summary |
| | <input checked="" type="radio"/> Parsed text | <input type="text" value=" %{00028}@%{00077}"/> |
| Regular expression: | <input type="text" value=" ^Fixed@\$"/> <small>You can insert field codes into the regular expression that will be replaced with the corresponding field value. Regular expression syntax</small> | |
| Negate validation: | <input checked="" type="checkbox"/> <small>When this option is checked, validation will be satisfied if regular expression is NOT MATCHED by selected field or entered parsed text.</small> | |
| Message to show when validation fails: | <input type="text" value=" Affected version is mandatory for fixed issues."/> | |

Text to be parsed is:

`%{00028}@%{00077}`

`^Fixed@$`

Once configured, transition will look like this:

| | |
|--|-------------------------------|
| The transition requires the following criteria to be valid | Add validator |
| If parsed text " #Issue resolution#@#Affected versions# " <u>doesn't match</u> the following parsed regular expression: (^Fixed@\$). Message to show when validation fails: Affected version is mandatory for fixed issues. | |

Other examples of that function

Page: [Make "Affects Version/s" mandatory when issue resolution is "Fixed"](#)

Page: [Make a custom field mandatory when Priority is "Critical" or "Blocker"](#)

Page: [Make a custom field mandatory when priority is "Critical" or "Blocker" and issue type is "Incident"](#)

Page: [Make certain custom field required in resolve screen only if the resolution was set to "Fixed"](#)

Page: [Prevent addition of new sub-tasks if the parent issue is in "Resolved" or "Closed" status](#)

Page: [Validation on issue attachments](#)

Page: [Validation on the value of a Cascading Select field](#)

Related Usage Examples

- [Block or unblock a transition after an issue rested a specific time in a status](#)
 - [example](#)
 - [condition](#)
 - [validator](#)
 - [transition](#)
- [Validation based on the value of a date type project property](#)
 - [example](#)
 - [validator](#)
- [Validation and condition based on time expressions](#)
 - [example](#)
 - [condition](#)
 - [validator](#)
 - [transition](#)
- [Validation on sibling sub-tasks depending on issue type and status](#)
 - [example](#)
 - [validator](#)
 - [sub-task](#)
 - [transition](#)
- [Validate only issue links created in transition screen](#)
 - [example](#)
 - [validator](#)
 - [issue-links](#)
- [Validate compatible values selection among dependent custom fields](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validation on MIME types of issue attachments](#)
 - [example](#)
 - [validator](#)
- [Validate that multi-user picker custom field A does not contain any user in multi-user picker custom field B](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Validation on the value of a Cascading Select field](#)
 - [example](#)
 - [validator](#)
 - [custom-field](#)
- [Block a transition until all sub-tasks have certain fields populated](#)
 - [example](#)
 - [condition](#)
 - [validator](#)
 - [sub-task](#)
 - [transition](#)
- [If field A is populated then, field B must also be populated](#)
 - [example](#)
 - [validator](#)
- [Limit the number of hours a user can log per day](#)
 - [example](#)
 - [validator](#)
 - [post-function](#)
 - [work-log](#)
- [Require issue link when resolving as duplicate](#)
 - [example](#)
 - [validator](#)
 - [issue-links](#)
- [Make "Time Spent" field required when there is no time logged in the issue](#)
 - [example](#)
 - [validator](#)
 - [work-log](#)
- [Ensure that all issues linked with a certain issue link type have "Due Date" field set](#)
 - [example](#)
 - [validator](#)
 - [issue-links](#)

